


Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size			Dimension (in.)						ID	Std. Pkg.
	Code	Flex Class	G,H,I,K,M	Bolt Size	A	B	C	G	R		
DB061401-242	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.45	1.75	0.43	1.00	0.70	0.22	100
LB061243-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/2	4.28	3.01	0.70	1.75	1.27	0.22	100
LB061412P-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.39	1.12	0.48	0.50	1.27	0.22	100
DB061012	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.98	1.28	0.44	0.50	0.70	0.22	100
DB061458	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	1.98	1.28	0.44	0.63	0.70	0.22	100
DB061412	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.01	1.31	0.43	0.50	0.70	0.22	100
DB061401	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.33	1.63	0.55	1.00	0.70	0.22	100
DB061434	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.13	1.43	0.43	0.75	0.70	0.22	100
DB063801	6 AWG	#6 Weld	61/24 = 24.6 kcmil	3/8	2.51	1.81	0.55	1.00	0.70	0.22	100
LB061458	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.28	1.28	0.44	0.63	1.00	0.22	100
LB061401	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.63	1.63	0.43	1.00	1.00	0.22	100
LB061434	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.43	1.43	0.43	0.75	1.00	0.22	100
LB063801	6 AWG	#6 Weld	61/24 = 24.6 kcmil	3/8	2.93	1.93	0.59	1.00	1.00	0.22	100
LB061243	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/2	4.00	3.00	0.88	1.75	1.00	0.22	100
DB061058-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.18	1.17	0.46	0.63	1.01	0.22	100
DB061034-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.30	1.29	0.46	0.75	1.01	0.22	100
DB061001-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.55	1.54	0.46	1.00	1.01	0.22	100
DB061458-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.26	1.25	0.48	0.63	1.01	0.22	100
DB061434-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.38	1.37	0.48	0.75	1.01	0.22	100
DB061401-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.63	1.62	0.48	1.00	1.01	0.22	100
DB065601-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	5/16	2.75	1.74	0.56	1.00	1.01	0.22	100
DB063801-250	6 AWG	#6 Weld	61/24 = 24.6 kcmil	3/8	2.85	1.84	0.62	1.00	1.01	0.22	100
DB061458-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.28	1.27	0.45	0.63	1.01	0.22	100
DB061243-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/2	3.84	2.83	0.81	1.75	1.01	0.22	100
DB061058-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.16	1.15	0.42	0.63	1.01	0.22	100
DB061412-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.15	1.14	0.45	0.50	1.01	0.22	100
DB061401-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.65	1.64	0.45	1.00	1.01	0.22	100
DB061434-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.40	1.39	0.44	0.75	1.01	0.22	100
DB063801-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?3/8	2.84	1.83	0.63	1.00	1.01	0.22	100
DB061012-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.03	1.02	0.42	0.50	1.01	0.22	100
DB065601-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?5/16	2.71	1.70	0.52	1.00	1.01	0.22	100
DB065634-260	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?5/16	2.46	1.45	0.52	0.75	1.01	0.22	100
DB061058-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.85	1.17	0.46	0.63	0.68	0.22	100
DB061034-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.97	1.29	0.46	0.75	0.68	0.22	100
DB061021-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	2.72	2.04	0.46	1.50	0.68	0.22	100
DB061069-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.91	1.23	0.46	0.69	0.68	0.22	100
DB061458-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	1.93	1.25	0.48	0.63	0.68	0.22	100
DB061434-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.05	1.37	0.48	0.75	0.68	0.22	100
DB061401-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	1/4	2.30	1.62	0.48	1.00	0.68	0.22	100
DB065601-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	5/16	2.42	1.74	0.56	1.00	0.68	0.22	100
DB063801-251	6 AWG	#6 Weld	61/24 = 24.6 kcmil	3/8	2.52	1.84	0.62	1.00	0.68	0.22	100
DB061058-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.85	1.15	0.44	0.63	0.70	0.22	100
DB061034-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.97	1.27	0.48	0.75	0.70	0.22	100
DB061016-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.91	1.21	0.44	0.69	0.70	0.22	100
DB061012-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	#10	1.72	1.02	0.48	0.50	0.70	0.22	100
DB061458-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	1.97	1.27	0.48	0.63	0.70	0.22	100
DB061434-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.09	1.39	0.48	0.75	0.70	0.22	100
DB061401-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?1/4	2.34	1.64	0.48	1.00	0.70	0.22	100
DB065601-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?5/16	2.40	1.70	0.52	1.00	0.70	0.22	100
DB063801-261	6 AWG	#6 Weld	61/24 = 24.6 kcmil	?3/8	2.53	1.83	0.58	1.00	0.70	0.22	100

**Installation Information**

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size		Dimension (in.)							ID	Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R			
DB061243-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/2	3.53	2.83	0.83	1.75	0.70	0.22	100	
WP061458-003	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	1.80	1.15	0.44	0.63	0.65	0.22	100	
WP061058-108	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	1.80	1.15	0.44	0.63	0.65	0.22	100	
WP061401-109	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.26	1.61	0.44	1.00	0.65	0.22	100	
WP061434-110	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	1.80	1.15	0.44	0.75	0.65	0.22	100	
WP063801-111	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.24	1.59	0.59	1.00	0.65	0.22	100	
LB061058-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.44	1.17	0.46	0.63	1.27	0.22	100	
LB061458-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.52	1.25	0.48	0.63	1.27	0.22	100	
LB061434-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.64	1.37	0.48	0.75	1.27	0.22	100	
LB061401-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.89	1.62	0.48	1.00	1.27	0.22	100	
LB063801-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.11	1.84	0.62	1.00	1.27	0.22	100	
LB061058P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.44	1.17	0.46	0.63	1.27	0.22	100	
LB061034P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.56	1.29	0.46	0.75	1.27	0.22	100	
LB061458P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.52	1.25	0.48	0.63	1.27	0.22	100	
LB061434P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.64	1.37	0.48	0.75	1.27	0.22	100	
LB061401P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.89	1.62	0.48	1.00	1.27	0.22	100	
LB061441P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	3.14	1.87	0.48	1.25	1.27	0.22	100	
LB061443P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	3.64	2.37	0.48	1.75	1.27	0.22	100	
LB065634P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	5/16	2.76	1.49	0.56	0.75	1.27	0.22	100	
LB063834P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.86	1.59	0.62	0.75	1.27	0.22	100	
LB063878P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.99	1.72	0.62	0.88	1.27	0.22	100	
LB063801P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.11	1.84	0.62	1.00	1.27	0.22	100	
LB061243P-250	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/2	4.40	3.13	0.75	1.75	1.27	0.22	100	
LB061243-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/2	4.15	2.83	0.81	1.75	1.32	0.22	100	
LB061458-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.59	1.27	0.45	0.63	1.32	0.22	100	
LB061401-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.96	1.64	0.45	1.00	1.32	0.22	100	
LB061434-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.71	1.39	0.45	0.75	1.32	0.22	100	
LB063801-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.15	1.83	0.63	1.00	1.32	0.22	100	
LB063834-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.90	1.58	0.63	0.75	1.32	0.22	100	
LB063878-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.03	1.71	0.63	0.88	1.32	0.22	100	
LB061243P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/2	4.15	2.83	0.83	1.75	1.32	0.22	100	
LB061034P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.59	1.27	0.42	0.75	1.32	0.22	100	
LB061458P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.59	1.27	0.45	0.63	1.32	0.22	100	
LB061434P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.71	1.39	0.45	0.75	1.32	0.22	100	
LB061401P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.96	1.64	0.45	1.00	1.32	0.22	100	
LB063834P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.90	1.58	0.58	0.75	1.32	0.22	100	
LB063878P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.03	1.71	0.58	0.88	1.32	0.22	100	
LB063801P-260	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.15	1.83	0.58	1.00	1.32	0.22	100	
LB061034P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.56	1.29	0.46	0.75	1.27	0.22	100	
LB061458P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.52	1.25	0.48	0.63	1.27	0.22	100	
LB061434P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.64	1.37	0.48	0.75	1.27	0.22	100	
LB061401P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.89	1.62	0.48	1.00	1.27	0.22	100	
LB063858P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.74	1.47	0.62	0.63	1.27	0.22	100	
LB063878P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.99	1.72	0.62	0.88	1.27	0.22	100	
LB063801P-251	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	3.11	1.84	0.62	1.00	1.27	0.22	100	
LB061034P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	#10	2.22	1.27	0.48	0.75	0.95	0.22	100	
LB061458P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.22	1.27	0.48	0.63	0.95	0.22	100	
LB061434P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.34	1.39	0.48	0.75	0.95	0.22	100	
LB061401P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.59	1.64	0.48	1.00	0.95	0.22	100	
LB063801P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.78	1.83	0.58	1.00	0.95	0.22	100	

**Installation Information**

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size		Dimension (in.)							
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
LB063834P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.53	1.58	0.58	0.75	0.95	0.22	100
LB063878P-261	6 AWG	#6 Weld 61/24 = 24.6 kcmil	3/8	2.66	1.71	0.58	0.88	0.95	0.22	100