


Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Wire Size		Dimension (in.)							ID	Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R			
DB021458	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.13	1.28	0.59	0.63	0.85	0.30	100	
DB021434	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.16	1.31	0.59	0.75	0.85	0.30	100	
DB021401	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.38	1.53	0.59	1.00	0.85	0.30	100	
DB023801	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.66	1.81	0.60	1.00	0.85	0.30	100	
DB021243	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.73	2.88	0.75	1.75	0.85	0.30	100	
LB021401	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.03	1.88	0.67	1.00	1.15	0.30	100	
LB021458	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.43	1.28	0.59	0.63	1.15	0.30	100	
LB021434	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.50	1.35	0.68	0.75	1.15	0.30	100	
LB025634	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.78	1.63	0.59	0.75	1.15	0.30	100	
LB023843	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.72	2.57	0.59	1.75	1.15	0.30	100	
LB023801	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.09	1.94	0.59	1.00	1.15	0.30	100	
LB021243	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.03	2.88	0.75	1.75	1.15	0.30	100	
DB021458-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.39	1.26	0.60	0.63	1.13	0.31	100	
DB021434-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.51	1.38	0.60	0.75	1.13	0.31	100	
DB021401-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.76	1.63	0.60	1.00	1.13	0.31	100	
DB025634-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.64	1.51	0.66	0.75	1.13	0.31	100	
DB023801-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.99	1.86	0.66	1.00	1.13	0.31	100	
DB021243-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.14	3.01	0.75	1.75	1.13	0.31	100	
DB025634-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.58	1.45	0.60	0.75	1.13	0.30	100	
DB021243-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.96	2.83	0.83	1.75	1.13	0.30	100	
DB021458-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.40	1.27	0.60	0.63	1.13	0.30	100	
DB021401-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.64	0.60	1.00	1.13	0.30	100	
DB021434-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.52	1.39	0.60	0.75	1.13	0.30	100	
DB023801-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.96	1.83	0.60	1.00	1.13	0.30	100	
DB025601-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.83	1.70	0.60	1.00	1.13	0.30	100	
DB021458-251	#2 AWG	150/24 #2 Weld	1/4	2.10	1.43	0.70	0.63	0.84	0.36	100	
DB021434-251	#2 AWG	150/24 #2 Weld	1/4	2.22	1.55	0.70	0.75	0.84	0.36	100	
DB021401-251	#2 AWG	150/24 #2 Weld	1/4	2.47	1.80	0.70	1.00	0.84	0.36	100	
DB025601-251	#2 AWG	150/24 #2 Weld	5/16	2.60	1.86	0.70	1.00	0.84	0.36	100	
DB023801-251	#2 AWG	150/24 #2 Weld	3/8	2.67	1.89	0.70	1.00	0.84	0.36	100	
DB021243-251	#2 AWG	150/24 #2 Weld	1/2	3.85	2.80	0.75	1.75	0.84	0.36	100	
DB021458-261	#2 AWG	150/24 #2 Weld	1/4	2.15	1.27	0.68	0.63	0.88	0.36	100	
DB021434-261	#2 AWG	150/24 #2 Weld	1/4	2.27	1.39	0.68	0.75	0.88	0.36	100	
DB021401-261	#2 AWG	150/24 #2 Weld	1/4	2.52	1.64	0.68	1.00	0.88	0.36	100	
DB025601-261	#2 AWG	150/24 #2 Weld	5/16	2.58	1.70	0.68	1.00	0.88	0.36	100	


HUYA®



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB023801-261	#2 AWG	150/24 #2 Weld	3/8	2.71	1.83	0.68	1.00	0.88	0.36	100
DB021243-261	#2 AWG	150/24 #2 Weld	1/2	3.71	2.83	0.83	1.75	0.88	0.36	100
WP021458-054	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.25	1.15	0.59	0.63	0.84	0.30	100
WP023801-121	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.60	1.71	0.59	1.00	0.84	0.30	100
WP021434-122	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.25	1.15	0.59	0.75	0.84	0.30	100
LB021243-242	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.15	3.00	0.88	1.75	1.15	0.30	100
LB021458-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.67	1.26	0.60	0.63	1.41	0.31	100
LB021434-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.79	1.38	0.60	0.75	1.41	0.31	100
LB025634-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.92	1.51	0.66	0.75	1.41	0.31	100
LB025678-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	3.05	1.64	0.66	0.88	1.41	0.31	100
LB023801-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.24	1.83	0.66	1.00	1.41	0.31	100
LB023843-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.99	2.58	0.66	1.75	1.41	0.31	100
LB021243-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.42	3.01	0.75	1.75	1.41	0.31	100
LB021058P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.58	1.17	0.60	0.63	1.41	0.31	100
LB021034P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.70	1.29	0.60	0.75	1.41	0.31	100
LB021458P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.67	1.26	0.60	0.63	1.41	0.31	100
LB021434P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.79	1.38	0.60	0.75	1.41	0.31	100
LB021401P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.04	1.63	0.60	1.00	1.41	0.31	100
LB025634P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.92	1.51	0.66	0.75	1.41	0.31	100
LB025678P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	3.05	1.64	0.66	0.88	1.41	0.31	100
LB023834P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.99	1.58	0.66	0.75	1.41	0.31	100
LB023878P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.12	1.71	0.66	0.88	1.41	0.31	100
LB023801P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.24	1.83	0.66	1.00	1.41	0.31	100
LB023843P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.99	2.58	0.66	1.75	1.41	0.31	100
LB021243P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.42	3.01	0.75	1.75	1.41	0.31	100
LB021243-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.33	2.83	0.81	1.75	1.50	0.30	100
LB021458-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.27	0.60	0.63	1.50	0.30	100
LB021434-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.89	1.39	0.60	0.75	1.50	0.30	100
LB023834-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.08	1.58	0.60	0.75	1.50	0.30	100
LB025634-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.95	1.45	0.60	0.75	1.50	0.30	100
LB023843-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	4.08	2.58	0.60	1.75	1.50	0.30	100



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Cat. Nos	Wire Size		Dimension (in.)							ID	Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R			
LB023801-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.33	1.83	0.60	1.00	1.50	0.30	100	
LB023878-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.21	1.71	0.60	0.88	1.50	0.30	100	
LB021243P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.33	2.83	0.83	1.75	1.50	0.30	100	
LB021034P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.77	1.27	0.60	0.75	1.50	0.30	100	
LB021458P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.27	0.60	0.63	1.50	0.30	100	
LB021434P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.89	1.39	0.60	0.75	1.50	0.30	100	
LB021401P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.14	1.64	0.60	1.00	1.50	0.30	100	
LB025634P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.95	1.45	0.60	0.75	1.50	0.30	100	
LB023834P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.08	1.58	0.60	0.75	1.50	0.30	100	
LB023878P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.21	1.71	0.60	0.88	1.50	0.30	100	
LB023801P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.33	1.83	0.60	1.00	1.50	0.30	100	
LB023843P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	4.08	2.58	0.60	1.75	1.50	0.30	100	
LB021458P-251	#2 AWG	150/24 #2 Weld	1/4	2.87	1.26	0.70	0.63	1.61	0.36	100	
LB021434P-251	#2 AWG	150/24 #2 Weld	1/4	2.99	1.38	0.70	0.75	1.61	0.36	100	
LB023801P-251	#2 AWG	150/24 #2 Weld	3/8	3.44	1.83	0.70	1.00	1.61	0.36	100	
LB021243P-251	#2 AWG	150/24 #2 Weld	1/2	4.62	3.01	0.75	1.75	1.61	0.36	100	
LB021458P-261	#2 AWG	150/24 #2 Weld	1/4	2.90	1.27	0.68	0.63	1.63	0.36	100	
LB021434P-261	#2 AWG	150/24 #2 Weld	1/4	3.02	1.39	0.68	0.75	1.63	0.36	100	
LB023801P-261	#2 AWG	150/24 #2 Weld	3/8	3.46	1.83	0.68	1.00	1.63	0.36	100	
LB021243P-261	#2 AWG	150/24 #2 Weld	1/2	4.46	2.83	0.83	1.75	1.63	0.36	100	