


## Two hole 90°




## Installation Information

| Manufacturer | Tools          | Color | Code |
|--------------|----------------|-------|------|
| T&B          | TBM5 TBM8      | Green | 37   |
| Panduit      | CT-720 CT-1700 | Green | P37  |
| Burndy       | MY29 Y644M     | Green | 11   |
| Celestra     | A45            | Green | 37   |

| Cat. Nos      | Wire Size |                                                                         | Dimension (in.) |      |      |      |      |      |           |
|---------------|-----------|-------------------------------------------------------------------------|-----------------|------|------|------|------|------|-----------|
|               | Code      | Flex Class G,H,I,K,M                                                    | Bolt Size       | B    | C    | G    | R    | ID   | Std. Pkg. |
| DB011458A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.28 | 0.68 | 0.63 | 0.85 | 0.36 | 100       |
| LB011458A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.19 | 0.67 | 0.63 | 1.13 | 0.36 | 100       |
| LB011434A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.40 | 0.67 | 0.75 | 1.13 | 0.36 | 100       |
| LB015678A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.63 | 0.67 | 0.88 | 1.13 | 0.36 | 100       |
| LB013801A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.98 | 0.67 | 1.00 | 1.13 | 0.36 | 100       |
| LB011243A     | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 3.00 | 0.88 | 1.75 | 1.13 | 0.36 | 100       |
| DB011458A-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.70 | 0.63 | 1.13 | 0.36 | 100       |
| DB011434A-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.38 | 0.70 | 0.75 | 1.13 | 0.36 | 100       |
| DB015678A-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.63 | 0.70 | 0.88 | 1.13 | 0.36 | 100       |
| DB013801A-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.70 | 1.00 | 1.13 | 0.36 | 100       |
| DB011243A-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 3.00 | 0.75 | 1.75 | 1.13 | 0.36 | 100       |
| DB011243A-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 2.83 | 0.81 | 1.75 | 1.13 | 0.36 | 100       |
| DB015678A-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.57 | 0.68 | 0.88 | 1.13 | 0.36 | 100       |
| DB011458A-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.68 | 0.62 | 1.13 | 0.36 | 100       |
| DB011434A-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.39 | 0.68 | 0.75 | 1.13 | 0.36 | 100       |
| DB013801A-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.68 | 1.00 | 1.13 | 0.36 | 100       |
| DB011458A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.33 | 0.76 | 0.62 | 0.91 | 0.39 | 100       |
| DB011434A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.45 | 0.76 | 0.75 | 0.91 | 0.39 | 100       |
| DB011401A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.70 | 0.76 | 1.00 | 0.91 | 0.39 | 100       |
| DB015601A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 5/16            | 1.76 | 0.76 | 1.00 | 0.91 | 0.39 | 100       |
| DB013801A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 3/8             | 1.83 | 0.76 | 1.00 | 0.91 | 0.39 | 100       |
| DB011243A-251 | #1 AWG    | 225/24 #1 Weld                                                          | 1/2             | 3.00 | 0.80 | 1.75 | 0.91 | 0.39 | 100       |
| DB011458A-261 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.26 | 0.75 | 0.62 | 0.94 | 0.39 | 100       |
| DB011401A-261 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.64 | 0.75 | 1.00 | 0.94 | 0.39 | 100       |
| DB011434A-261 | #1 AWG    | 225/24 #1 Weld                                                          | 1/4             | 1.39 | 0.75 | 0.75 | 0.94 | 0.39 | 100       |
| DB015601A-261 | #1 AWG    | 225/24 #1 Weld                                                          | 5/16            | 1.70 | 0.75 | 1.00 | 0.94 | 0.39 | 100       |
| DB013801A-261 | #1 AWG    | 225/24 #1 Weld                                                          | 3/8             | 1.83 | 0.75 | 1.00 | 0.94 | 0.39 | 100       |

## Two hole 90°




## Installation Information

| Manufacturer | Tools          | Color | Code |
|--------------|----------------|-------|------|
| T&B          | TBM5 TBM8      | Green | 37   |
| Panduit      | CT-720 CT-1700 | Green | P37  |
| Burndy       | MY29 Y644M     | Green | 11   |
| Celestra     | A45            | Green | 37   |

| Cat. Nos       | Wire Size |                                                                         | Dimension (in.) |      |      |      |      |      |     | Std. Pkg. |
|----------------|-----------|-------------------------------------------------------------------------|-----------------|------|------|------|------|------|-----|-----------|
|                | Code      | Flex Class G,H,I,K,M                                                    | Bolt Size       | B    | C    | G    | R    | ID   |     |           |
| DB011243A-261  | #1 AWG    | 225/24 #1 Weld                                                          | 1/2             | 2.83 | 0.83 | 1.75 | 0.94 | 0.39 | 100 |           |
| LB011458A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.70 | 0.63 | 1.61 | 0.36 | 100 |           |
| LB011434A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.38 | 0.70 | 0.75 | 1.61 | 0.36 | 100 |           |
| LB015634A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.51 | 0.70 | 0.75 | 1.61 | 0.36 | 100 |           |
| LB015678A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.63 | 0.70 | 0.88 | 1.61 | 0.36 | 100 |           |
| LB013801A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.70 | 1.00 | 1.61 | 0.36 | 100 |           |
| LB011243A-250  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 3.00 | 0.75 | 1.75 | 1.61 | 0.36 | 100 |           |
| LB011458AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.70 | 0.63 | 1.61 | 0.36 | 100 |           |
| LB011434AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.38 | 0.70 | 0.75 | 1.61 | 0.36 | 100 |           |
| LB015634AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.51 | 0.70 | 0.75 | 1.61 | 0.36 | 100 |           |
| LB015678AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 5/16            | 1.63 | 0.70 | 0.88 | 1.61 | 0.36 | 100 |           |
| LB013801AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.70 | 1.00 | 1.61 | 0.36 | 100 |           |
| LB011243AP-250 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 3.00 | 0.75 | 1.75 | 1.61 | 0.36 | 100 |           |
| LB011243A-260  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 2.83 | 0.81 | 1.75 | 1.63 | 0.36 | 100 |           |
| LB011458A-260  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.68 | 0.62 | 1.63 | 0.36 | 100 |           |
| LB011434A-260  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.39 | 0.75 | 0.75 | 1.63 | 0.36 | 100 |           |
| LB013801A-260  | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.68 | 1.00 | 1.63 | 0.36 | 100 |           |
| LB011243AP-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/2             | 2.80 | 0.83 | 1.75 | 1.63 | 0.36 | 100 |           |
| LB011458AP-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.26 | 0.67 | 0.62 | 1.63 | 0.36 | 100 |           |
| LB011434AP-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 1/4             | 1.39 | 0.67 | 0.75 | 1.63 | 0.36 | 100 |           |
| LB013801AP-260 | #1 AWG    | 75 Navy #2 Weld 150/24 =<br>60.5 kcmil 175/24 = 70.6<br>kcmil 133/.0223 | 3/8             | 1.83 | 0.67 | 1.00 | 1.63 | 0.36 | 100 |           |

## Two hole 90°



## Installation Information

| Manufacturer | Tools          | Color | Code |
|--------------|----------------|-------|------|
| T&B          | TBM5 TBM8      | Green | 37   |
| Panduit      | CT-720 CT-1700 | Green | P37  |
| Burndy       | MY29 Y644M     | Green | 11   |
| Celestra     | A45            | Green | 37   |

| Cat. Nos       | Wire Size |                      | Dimension (in.) |      |      |      |      |      |           |
|----------------|-----------|----------------------|-----------------|------|------|------|------|------|-----------|
|                | Code      | Flex Class G,H,I,K,M | Bolt Size       | B    | C    | G    | R    | ID   | Std. Pkg. |
| LB011458AP-251 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.33 | 0.76 | 0.63 | 1.69 | 0.39 | 100       |
| LB011434AP-251 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.45 | 0.76 | 0.75 | 1.69 | 0.39 | 100       |
| LB011401AP-251 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.70 | 0.76 | 1.00 | 1.69 | 0.39 | 100       |
| LB015678AP-251 | #1 AWG    | 225/24 #1 Weld       | 5/16            | 1.63 | 0.76 | 0.88 | 1.69 | 0.39 | 100       |
| LB015601AP-251 | #1 AWG    | 225/24 #1 Weld       | 5/16            | 1.76 | 0.76 | 1.00 | 1.69 | 0.39 | 100       |
| LB013801AP-251 | #1 AWG    | 225/24 #1 Weld       | 3/8             | 1.83 | 0.76 | 1.00 | 1.69 | 0.39 | 100       |
| LB011458AP-261 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.27 | 0.75 | 0.63 | 1.63 | 0.39 | 100       |
| LB011401AP-261 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.64 | 0.75 | 1.00 | 1.63 | 0.39 | 100       |
| LB011434AP-261 | #1 AWG    | 225/24 #1 Weld       | 1/4             | 1.39 | 0.75 | 0.75 | 1.63 | 0.39 | 100       |
| LB013801AP-261 | #1 AWG    | 225/24 #1 Weld       | 3/8             | 1.83 | 0.75 | 1.00 | 1.63 | 0.39 | 100       |
| LB015678AP-261 | #1 AWG    | 225/24 #1 Weld       | 5/16            | 1.57 | 0.75 | 0.88 | 1.63 | 0.39 | 100       |
| LB015601AP-261 | #1 AWG    | 225/24 #1 Weld       | 5/16            | 1.70 | 0.75 | 1.00 | 1.63 | 0.39 | 100       |