


COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
Cord End Terminals



| Cat. Nos  | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|-----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|           | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| TE2208WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| TE2208ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| TE2008BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE2008WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE2008GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE2010BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE2010WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE2010GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.80 | — | 0.00 | 100 |           |
| TE1808RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.10 | — | 0.00 | 100 |           |
| TE1808YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.10 | — | 0.00 | 100 |           |
| TE1810RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.10 | — | 0.00 | 100 |           |
| TE1810YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.10 | — | 0.00 | 100 |           |
| TE1608BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| TE1608RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| TE1612BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| TE1612RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| TE1408GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1408BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1410GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1410BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1412GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1412BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1413GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1413BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.90 | — | 0.00 | 100 |           |
| TE1212ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.80 | — | 0.00 | 100 |           |
| TE1212GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.80 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
Cord End Terminals



| Cat. Nos  | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|-----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|           | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| TE1012GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE1012BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE1012YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE1014GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE1014BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE1014YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.90 | — | 0.00 | 100 |           |
| TE0814BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 6.50 | — | 0.00 | 100 |           |
| TE0814IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 6.50 | — | 0.00 | 100 |           |
| TE0814BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 6.50 | — | 0.00 | 100 |           |
| TE0614IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30 | — | 0.00 | 100 |           |
| TE0614GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30 | — | 0.00 | 100 |           |
| TE0614BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
**NYLON-INSULATED CORD END TERMINALS**



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| E2606VIO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2606BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2608VIO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2608BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2406PNK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2406TUR | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2408PNK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2408TUR | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| E2206ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2206WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2208ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2208WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2210ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2210WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| E2006WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2006GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2006BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2008WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2008GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2008BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2010WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2010GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2010BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2012WHI | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2012GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |
| E2012BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.20 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
**NYLON-INSULATED CORD END TERMINALS**



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| E1806YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1806RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1808YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1808RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1810YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1810RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1812YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1812RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.40 | — | 0.00 | 100 |           |
| E1608RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1608BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1610RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1610BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1612RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1612BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1618RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1618BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| E1408BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1408GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1412BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1412GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1418BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1418GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| E1210GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |
| E1210ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |
| E1212GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |
| E1212ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
**NYLON-INSULATED CORD END TERMINALS**



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| E1218GRY | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |
| E1218ORG | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |
| E1012BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E1012YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E1012GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E1018BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E1018YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E1018GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50 | — | 0.00 | 100 |           |
| E0812IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0812RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0812BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0818IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0818RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0818BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50 | — | 0.00 | 100 |           |
| E0612GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0612BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0612IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0618GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0618BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0618IVO | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80 | — | 0.00 | 100 |           |
| E0416BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |
| E0416YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |
| E0416BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |
| E0418BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |
| E0418YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |
| E0418BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
**NYLON-INSULATED CORD END TERMINALS**



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |       |   |      | ID  | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|-------|---|------|-----|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C     | R |      |     |           |
| E0422BRW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50  | — | 0.00 | 100 |           |
| E0422YLW | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50  | — | 0.00 | 100 |           |
| E0422BLK | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50  | — | 0.00 | 100 |           |
| E0216BGE | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E0216RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E0218BGE | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E0218RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E0225BGE | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E0225RED | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100 |           |
| E1020GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.30 | — | 0.00 | 100 |           |
| E1020BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.30 | — | 0.00 | 100 |           |
| E1025GRN | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.30 | — | 0.00 | 100 |           |
| E1025BLU | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.30 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS


**Metric connectors for copper conductor**  
NON-INSULATED CORD END TERMINALS



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |      |   |      | ID  | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|------|---|------|-----|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C    | R |      |     |           |
| EN2606   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| EN2608   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| EN2406   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| EN2408   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 0.80 | — | 0.00 | 100 |           |
| EN2206   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| EN2208   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| EN2210   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| EN2212   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.00 | — | 0.00 | 100 |           |
| EN2006   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.30 | — | 0.00 | 100 |           |
| EN2008   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.30 | — | 0.00 | 100 |           |
| EN2010   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.30 | — | 0.00 | 100 |           |
| EN2012   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.30 | — | 0.00 | 100 |           |
| EN1806   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| EN1808   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| EN1810   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| EN1812   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.50 | — | 0.00 | 100 |           |
| EN1606   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| EN1608   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| EN1610   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| EN1612   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| EN1618   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 1.70 | — | 0.00 | 100 |           |
| EN1408   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| EN1410   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| EN1412   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| EN1418   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.30 | — | 0.00 | 100 |           |
| EN1209   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80 | — | 0.00 | 100 |           |

COMPRESSION CONNECTORS

**Metric connectors for copper conductor**  
NON-INSULATED CORD END TERMINALS



| Cat. Nos | Conduct Size sq.mm |          |    |         | Stud | Dimensions mm |      |       |   |      | Std. Pkg. |
|----------|--------------------|----------|----|---------|------|---------------|------|-------|---|------|-----------|
|          | Stranded           | Flexible | 2r | 5f / 6f |      | A             | B    | C     | R | ID   |           |
| EN1210   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80  | — | 0.00 | 100       |
| EN1212   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 2.80  | — | 0.00 | 100       |
| EN1012   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50  | — | 0.00 | 100       |
| EN1018   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 3.50  | — | 0.00 | 100       |
| EN0812   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50  | — | 0.00 | 100       |
| EN0818   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 4.50  | — | 0.00 | 100       |
| EN0612   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80  | — | 0.00 | 100       |
| EN0618   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 5.80  | — | 0.00 | 100       |
| EN0416   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50  | — | 0.00 | 100       |
| EN0422   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 7.50  | — | 0.00 | 100       |
| EN0216   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100       |
| EN0225   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 8.30  | — | 0.00 | 100       |
| EN1020   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.50 | — | 0.00 | 100       |
| EN1025   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 10.50 | — | 0.00 | 100       |
| EN2020   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 13.50 | — | 0.00 | 100       |
| EN2025   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 13.50 | — | 0.00 | 100       |
| EN2032   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 13.50 | — | 0.00 | 100       |
| EN3025   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 14.50 | — | 0.00 | 100       |
| EN3032   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 14.50 | — | 0.00 | 100       |
| EN4027   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 16.50 | — | 0.00 | 100       |
| EN4032   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 16.50 | — | 0.00 | 100       |
| EN2527   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 19.60 | — | 0.00 | 100       |
| EN2532   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 19.60 | — | 0.00 | 100       |
| EN3132   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 20.20 | — | 0.00 | 100       |
| EN4140   | —                  | -        | -  | -       | —    | 0.00          | 0.00 | 23.00 | — | 0.00 | 100       |