

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62	--	-
Panduit	CT-100 CT1701	--	P10
Burndy	Y10D Y10R4BY	--	-
Celestra	A45	--	-


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC0603	6	-	-	-	3.3	20.00	8.00	7.50	11.40	3.60	100
MC0635	6	-	-	-	3.5	20.00	8.00	7.50	11.40	3.60	100
MC0604	6	-	-	-	4.3	21.00	9.00	8.00	11.40	3.60	100
MC0604-230	6	-	-	-	4.3	23.00	11.00	9.50	11.40	4.00	100
MC0605-230	6	-	-	-	5.5	23.00	11.00	10.00	11.40	4.00	100
MC0606-230	6	-	-	-	6.5	24.00	12.00	11.00	11.40	4.00	100
MC0605	6	-	-	-	5.5	24.50	12.50	10.00	11.40	3.60	100
MC0606	6	-	-	-	6.5	25.00	13.00	11.00	11.40	3.60	100
MC0605-240	6	-	-	-	5.5	27.50	14.00	10.00	13.00	3.50	100
MC0606-240	6	-	-	-	6.5	27.50	14.00	13.00	13.00	3.50	100
MC0605-250	6	-	-	-	5.5	28.00	14.00	10.00	13.50	3.80	100
MC0606-250	6	-	-	-	6.5	28.00	14.00	10.80	13.50	3.80	100
MC0608	6	-	-	-	8.5	29.00	17.00	12.00	11.40	3.60	100
MC0608-230	6	-	-	-	8.5	29.00	17.00	13.50	11.40	4.00	100
MC0608-250	6	-	-	-	8.5	31.50	16.00	13.00	15.00	3.80	100
MR0605	6	-	-	-	5.5	33.00	15.00	8.50	16.00	3.80	100
MC0610	6	-	-	-	10.5	33.00	21.00	14.00	11.40	3.60	100
MC0608-240	6	-	-	-	8.5	33.50	20.00	15.00	13.00	3.50	100
MR0606	6	-	-	-	6.5	34.50	17.00	8.50	16.00	3.80	100
MR0608	6	-	-	-	8.5	37.00	20.50	13.00	16.00	3.80	100
MC0610-240	6	-	-	-	10.5	37.50	24.00	17.00	13.00	3.50	100
MC0612-240	6	-	-	-	13	39.50	26.00	19.00	13.00	3.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	2
Panduit	CT-2001 CT-930	--	P21
Burndy	PAT600 Y35	--	49
Celestra	A45	--	2


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC1004	10	-	-	-	4.3	22.50	9.00	10.00	13.20	4.60	100
MC1005	10	-	-	-	5.5	26.00	12.50	10.00	13.20	4.60	100
MC1006	10	-	-	-	6.5	26.50	13.00	11.00	13.20	4.60	100
MC1005-230	10	-	-	-	5.5	26.50	13.00	11.50	13.20	5.00	100
MC1006-230	10	-	-	-	6.5	26.50	13.00	11.50	13.20	5.00	100
MC1005-231	10	-	-	-	5.5	29.00	14.00	10.00	14.80	4.50	100
MC1006-231	10	-	-	-	6.5	29.00	14.00	10.00	14.80	4.50	100
MC1005-240	10	-	-	-	5.5	29.00	14.00	12.00	14.80	4.50	100
MC1006-240	10	-	-	-	6.5	29.00	14.00	12.00	14.80	4.50	100
MC1008-230	10	-	-	-	8.5	29.50	16.00	13.50	13.20	5.00	100
MC1008	10	-	-	-	8.5	30.50	17.00	13.00	13.20	4.60	100
MC1010-230	10	-	-	-	10.5	31.50	18.00	16.00	13.20	5.00	100
MC1005-250	10	-	-	-	5.5	31.80	15.80	11.00	15.80	4.50	100
MC1006-250	10	-	-	-	6.5	31.80	15.80	11.00	15.80	4.50	100
MC1010-250	10	-	-	-	10.5	33.00	16.50	15.00	16.30	4.36	100
MC1008-250	10	-	-	-	8.5	33.00	16.50	13.00	16.30	4.50	100
MC1008-231	10	-	-	-	8.5	34.00	19.00	15.00	14.80	4.50	100
MC1010-231	10	-	-	-	10.5	34.00	19.00	16.00	14.80	4.50	100
MC1010	10	-	-	-	10.5	34.50	21.00	15.00	13.20	4.60	100
MC1008-240	10	-	-	-	8.5	35.00	20.00	15.00	14.80	4.50	100
MR1005	10	-	-	-	5.5	36.00	16.00	9.00	16.80	4.50	100
MC1012-230	10	-	-	-	13	37.50	24.00	19.00	13.20	5.00	100
MR1006	10	-	-	-	6.5	37.50	17.50	9.00	16.80	4.50	100
MC1012-231	10	-	-	-	13	39.00	24.00	19.00	14.80	4.50	100
MC1010-240	10	-	-	-	10.5	39.00	24.00	17.00	14.80	4.50	100
MC1012	10	-	-	-	13	39.50	26.00	18.00	13.20	4.60	100
MR1008	10	-	-	-	8.5	40.00	21.50	13.00	16.80	4.50	100
MC1012-240	10	-	-	-	13	41.00	26.00	19.00	14.80	4.50	100
MC1005-252	10	-	-	-	5.5	45.00	15.80	11.00	28.80	4.50	100
MC1006-252	10	-	-	-	6.5	45.00	15.80	11.00	28.80	4.50	100
MC1010-252	10	-	-	-	10.5	45.50	16.50	14.50	28.80	4.36	100
MC1008-252	10	-	-	-	8.5	45.50	16.50	13.00	28.80	4.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	3
Panduit	CT-2001 CT-930	--	P24
Burndy	PAT600 Y35	--	7
Celestra	A45	--	3


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC1604	16	-	-	-	4.3	25.00	9.00	11.50	15.20	5.80	100
MC1605	16	-	-	-	5.5	28.50	12.50	11.50	15.20	5.80	100
MC1606	16	-	-	-	6.5	29.00	13.00	11.50	15.20	5.80	100
MC1605-232	16	-	-	-	5.5	30.00	14.00	12.00	15.10	5.40	100
MC1606-232	16	-	-	-	6.5	30.00	14.00	12.00	15.10	5.40	100
MC1605-240	16	-	-	-	5.5	31.00	12.00	12.00	18.10	5.50	100
MC1606-240	16	-	-	-	6.5	32.75	13.75	12.00	18.10	5.50	100
MC1608-232	16	-	-	-	8.5	33.00	17.00	14.00	15.10	5.40	100
MC1608	16	-	-	-	8.5	33.00	17.00	14.00	15.20	5.80	100
MC1606-230	16	-	-	-	6.5	33.00	17.00	13.00	15.20	6.00	100
MC1608-230	16	-	-	-	8.5	33.00	17.00	13.00	15.20	6.00	100
MC1610-232	16	-	-	-	10.5	34.00	18.00	16.00	15.10	5.40	100
MC1605-231	16	-	-	-	5.5	35.00	14.00	12.00	20.10	5.50	100
MC1606-231	16	-	-	-	6.5	35.00	14.00	12.00	20.10	5.50	100
MC1608-240	16	-	-	-	8.5	37.00	18.00	15.00	18.10	5.50	100
MC1610	16	-	-	-	10.5	37.00	21.00	16.00	15.20	5.80	100
MC1610-230	16	-	-	-	10.5	37.00	21.00	16.00	15.20	6.00	100
MC1605-250	16	-	-	-	5.5	37.30	16.80	13.00	19.60	5.50	100
MC1606-250	16	-	-	-	6.5	37.30	16.80	13.00	19.60	5.50	100
MC1608-250	16	-	-	-	8.5	37.30	16.80	13.00	19.60	5.50	100
MC1610-250	16	-	-	-	10.5	38.70	18.20	15.00	19.60	5.50	100
MC1612-232	16	-	-	-	13	40.00	24.00	18.00	15.10	5.40	100
MC1608-231	16	-	-	-	8.5	40.00	19.00	15.00	20.10	5.50	100
MC1610-231	16	-	-	-	10.5	40.00	19.00	16.00	20.10	5.50	100
MC1610-240	16	-	-	-	10.5	41.00	22.00	17.00	18.10	5.50	100
MC1612-230	16	-	-	-	13	41.00	25.00	19.00	15.20	6.00	100
MC1612	16	-	-	-	13	42.00	26.00	19.00	15.20	5.80	100
MC1612-240	16	-	-	-	13	44.00	25.00	19.00	18.10	5.50	100
MC1612-231	16	-	-	-	13	46.00	25.00	19.00	20.10	5.50	100
MR1606	16	-	-	-	6.5	46.50	17.00	13.00	27.10	5.50	100
MR1608	16	-	-	-	8.5	49.00	21.50	13.00	27.10	5.50	100
MC1605-252	16	-	-	-	5.5	50.00	16.80	13.00	32.30	5.50	100
MC1606-252	16	-	-	-	6.5	50.00	16.80	13.00	32.30	5.50	100
MC1608-252	16	-	-	-	8.5	50.00	16.80	13.00	32.30	5.50	100
MC1610-252	16	-	-	-	10.5	51.00	18.20	15.00	32.30	5.50	100
MR1610	16	-	-	-	10.5	51.00	25.50	17.00	27.10	5.50	100
MR1612	16	-	-	-	13	52.00	26.50	18.00	27.10	5.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	5
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	9
Celestra	A45	--	5


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC2504	25	-	-	-	4.3	27.00	9.00	13.50	17.20	7.00	100
MC2505	25	-	-	-	5.5	30.50	12.50	13.50	17.20	7.00	100
MC2506	25	-	-	-	6.5	31.00	13.00	13.50	17.20	7.00	100
MC2506-232	25	-	-	-	6.5	33.00	16.00	13.00	16.50	6.70	100
MC2508-232	25	-	-	-	8.5	33.00	16.00	13.00	16.50	6.70	100
MC2508	25	-	-	-	8.5	35.00	17.00	15.00	17.20	7.00	100
MC2506-230	25	-	-	-	6.5	36.00	18.00	16.00	17.20	8.00	100
MC2508-230	25	-	-	-	8.5	36.00	18.00	16.00	17.20	8.00	100
MC2505-240	25	-	-	-	5.5	37.00	15.00	14.00	21.50	7.00	100
MC2506-240	25	-	-	-	6.5	37.00	15.00	14.00	21.50	7.00	100
MC2510-232	25	-	-	-	10.5	39.00	22.00	16.00	16.50	6.70	100
MC2510	25	-	-	-	10.5	39.00	21.00	17.00	17.20	7.00	100
MC2510-230	25	-	-	-	10.5	39.00	21.00	17.00	17.20	8.00	100
MC2506-250	25	-	-	-	6.5	41.00	18.00	14.00	21.50	6.90	100
MC2508-250	25	-	-	-	8.5	41.00	18.00	15.50	21.50	6.90	100
MC2510-250	25	-	-	-	10.5	41.00	18.00	15.50	21.50	6.90	100
MC2512-232	25	-	-	-	13	42.00	25.00	19.00	16.50	6.70	100
MC2508-240	25	-	-	-	8.5	42.00	20.00	16.00	21.50	7.00	100
MC2512-230	25	-	-	-	13	43.00	25.00	19.00	17.20	8.00	100
MC2512	25	-	-	-	13	44.00	26.00	19.00	17.20	7.00	100
MC2506-231	25	-	-	-	6.5	44.50	21.00	14.00	23.00	7.00	100
MC2508-231	25	-	-	-	8.5	44.50	21.00	15.00	23.00	7.00	100
MC2510-231	25	-	-	-	10.5	44.50	21.00	16.00	23.00	7.00	100
MC2510-240	25	-	-	-	10.5	46.00	24.00	18.00	21.50	7.00	100
MC2512-240	25	-	-	-	13	48.00	26.00	19.00	21.50	7.00	100
MC2512-231	25	-	-	-	13	48.50	25.00	19.00	23.00	7.00	100
MR2506	25	-	-	-	6.5	48.50	17.00	14.00	28.50	7.00	100
MC2514-240	25	-	-	-	15	51.00	29.00	21.00	21.50	7.00	100
MR2508	25	-	-	-	8.5	51.00	21.50	16.00	28.50	7.00	100
MC2506-252	25	-	-	-	6.5	52.00	18.00	14.00	33.20	6.90	100
MC2508-252	25	-	-	-	8.5	52.00	18.00	15.50	33.20	6.90	100
MC2510-252	25	-	-	-	10.5	52.00	18.00	15.50	33.20	6.90	100
MR2510	25	-	-	-	10.5	53.00	25.50	17.00	28.50	7.00	100
MR2512	25	-	-	-	13	54.00	27.50	19.00	28.50	7.00	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	7
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	10
Celestra	A45	--	7


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC3505	35	-	-	-	5.5	32.50	12.50	17.00	19.20	8.90	100
MC3506	35	-	-	-	6.5	33.00	13.00	17.00	19.20	8.90	100
MC3508	35	-	-	-	8.5	37.00	17.00	17.00	19.20	8.90	100
MC3506-240	35	-	-	-	6.5	39.00	15.00	17.00	23.50	8.50	100
MC3506-232	35	-	-	-	6.5	39.50	18.00	16.00	21.00	8.00	100
MC3508-232	35	-	-	-	8.5	39.50	18.00	16.00	21.00	8.00	100
MC3510	35	-	-	-	10.5	41.00	21.00	19.00	19.20	8.90	100
MC3506-230	35	-	-	-	6.5	41.00	21.00	18.00	19.20	9.00	100
MC3508-230	35	-	-	-	8.5	41.00	21.00	18.00	19.20	9.00	100
MC3510-230	35	-	-	-	10.5	41.00	21.00	18.00	19.20	9.00	100
MC3510-232	35	-	-	-	10.5	42.50	21.00	17.00	21.00	8.00	100
MC3508-240	35	-	-	-	8.5	44.00	20.00	17.00	23.50	8.50	100
MC3506-250	35	-	-	-	6.5	45.30	20.80	15.50	24.00	8.20	100
MC3508-250	35	-	-	-	8.5	45.30	20.80	15.50	24.00	8.20	100
MC3510-250	35	-	-	-	10.5	45.30	20.80	15.50	24.00	8.20	100
MC3512	35	-	-	-	13	46.00	26.00	20.00	19.20	8.90	100
MC3512-230	35	-	-	-	13	46.00	26.00	19.50	19.20	9.00	100
MC3512-232	35	-	-	-	13	46.50	25.00	19.00	21.00	8.00	100
MC3510-240	35	-	-	-	10.5	48.00	24.00	19.00	23.50	8.50	100
MC3506-251	35	-	-	-	6.5	49.00	21.50	18.00	26.80	9.80	100
MC3508-251	35	-	-	-	8.5	49.00	21.50	18.00	26.80	9.80	100
MC3510-251	35	-	-	-	10.5	49.00	21.50	18.00	26.80	9.80	100
MC3506-231	35	-	-	-	6.5	50.00	21.00	17.00	28.20	8.50	100
MC3508-231	35	-	-	-	8.5	50.00	21.00	17.00	28.20	8.50	100
MC3510-231	35	-	-	-	10.5	50.00	21.00	17.00	28.20	8.50	100
MC3512-240	35	-	-	-	13	50.00	26.00	21.00	23.50	8.50	100
MC3512-250	35	-	-	-	13	50.50	26.00	18.50	24.00	8.20	100
MC3512-251	35	-	-	-	13	52.50	25.00	23.00	26.80	9.80	100
MR3506	35	-	-	-	6.5	52.50	17.00	17.00	28.50	8.20	100
MC3514-240	35	-	-	-	15	53.00	29.00	21.00	23.50	8.50	100
MC3512-231	35	-	-	-	13	55.00	26.00	19.00	28.20	8.50	100
MR3508	35	-	-	-	8.5	55.00	21.50	17.00	28.50	8.20	100
MC3516-240	35	-	-	-	17	56.00	32.00	25.00	23.50	8.50	100
MR3510	35	-	-	-	10.5	57.00	25.50	19.00	28.50	8.20	100
MR3512	35	-	-	-	13	58.00	27.50	21.00	28.50	8.20	100
MR3514	35	-	-	-	15	58.00	29.00	21.00	28.50	8.20	100
MC3506-252	35	-	-	-	6.5	60.50	20.80	15.50	39.30	8.20	100
MC3508-252	35	-	-	-	8.5	60.50	20.80	15.50	39.30	8.20	100
MC3510-252	35	-	-	-	10.5	60.50	20.80	15.50	39.30	8.20	100
MC3512-252	35	-	-	-	13	66.00	26.00	21.50	39.30	8.20	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	10
Panduit	CT-2001 CT-930	--	P37
Burndy	PAT600 Y35	--	12
Celestra	A45	--	10


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC5006	50	-	-	-	6.5	40.50	15.00	19.00	25.00	10.00	100
MC5008	50	-	-	-	8.5	42.50	17.00	19.00	25.00	10.00	100
MC5006-232	50	-	-	-	6.5	44.00	20.00	18.00	24.20	9.50	100
MC5008-232	50	-	-	-	8.5	44.00	20.00	18.00	24.20	9.50	100
MC5010-232	50	-	-	-	10.5	45.00	21.00	18.00	24.20	9.50	100
MC5006-240	50	-	-	-	6.5	46.00	20.00	20.00	26.20	10.00	100
MC5008-240	50	-	-	-	8.5	46.00	20.00	20.00	26.20	10.00	100
MC5010	50	-	-	-	10.5	46.50	21.00	19.00	25.00	10.00	100
MC5006-230	50	-	-	-	6.5	48.00	23.00	21.00	25.00	11.00	100
MC5008-230	50	-	-	-	8.5	48.00	23.00	21.00	25.00	11.00	100
MC5010-230	50	-	-	-	10.5	48.00	23.00	21.00	25.00	11.00	100
MC5006-250	50	-	-	-	6.5	48.80	21.50	18.00	27.50	9.80	100
MC5008-250	50	-	-	-	8.5	48.80	21.50	18.00	27.50	9.80	100
MC5010-250	50	-	-	-	10.5	48.80	21.50	18.00	27.50	9.80	100
MC5012-232	50	-	-	-	13	50.00	26.00	20.00	24.20	9.50	100
MC5010-240	50	-	-	-	10.5	50.00	24.00	20.00	26.20	10.00	100
MC5012-230	50	-	-	-	13	51.00	26.00	21.00	25.00	11.00	100
MC5012	50	-	-	-	13	51.50	26.00	20.00	25.00	10.00	100
MC5012-240	50	-	-	-	13	52.00	26.00	23.00	26.20	10.00	100
MC5012-250	50	-	-	-	13	52.30	25.00	21.00	27.50	9.80	100
MC5006-231	50	-	-	-	6.5	54.00	23.00	20.00	30.90	10.00	100
MC5008-231	50	-	-	-	8.5	54.00	23.00	20.00	30.90	10.00	100
MC5010-231	50	-	-	-	10.5	54.00	23.00	20.00	30.90	10.00	100
MC5014-240	50	-	-	-	15	55.00	29.00	23.00	26.20	10.00	100
MC5014	50	-	-	-	15	55.50	30.00	21.50	25.00	10.00	100
MC5006-251	50	-	-	-	6.5	56.50	26.00	20.80	30.50	11.50	100
MC5008-251	50	-	-	-	8.5	56.50	26.00	20.80	30.50	11.50	100
MC5010-251	50	-	-	-	10.5	56.50	26.00	20.80	30.50	11.50	100
MC5012-251	50	-	-	-	13	56.50	26.00	20.80	30.50	11.50	100
MC5012-231	50	-	-	-	13	57.00	26.00	20.00	30.90	10.00	100
MC5016-230	50	-	-	-	17	57.00	32.00	24.00	25.00	11.00	100
MC5016-240	50	-	-	-	17	58.00	32.00	27.00	26.20	10.00	100
MC5016	50	-	-	-	17	59.50	34.00	24.00	25.00	10.00	100
MC5020-240	50	-	-	-	21	64.00	38.00	29.00	26.20	10.00	100
MC5006-252	50	-	-	-	6.5	65.00	21.50	18.00	43.80	9.80	100
MC5008-252	50	-	-	-	8.5	65.00	21.50	18.00	43.80	9.80	100
MC5010-252	50	-	-	-	10.5	65.00	21.50	18.00	43.80	9.80	100
MR5008	50	-	-	-	8.5	65.00	21.50	20.00	37.20	10.00	100
MR5010	50	-	-	-	10.5	67.00	25.50	22.00	37.20	10.00	100
MR5012	50	-	-	-	13	68.00	27.50	24.00	37.20	10.00	100
MR5014	50	-	-	-	15	68.00	29.00	24.00	37.20	10.00	100
MC5012-252	50	-	-	-	13	68.50	25.00	23.00	43.80	9.80	100
MR5016	50	-	-	-	17	71.00	33.50	28.00	37.20	10.00	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	14
Panduit	CT-2001 CT-930	--	P45
Burndy	PAT600 Y35	--	13
Celestra	A45	--	14


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC7006	70	-	-	-	6.5	42.00	15.00	21.00	26.60	11.30	100
MC7006N	70	-	-	-	6.5	42.50	15.00	11.50	26.60	11.30	100
MC7008	70	-	-	-	8.5	44.00	17.00	21.00	26.60	11.30	100
MC7010	70	-	-	-	10.5	48.00	21.00	21.00	26.60	11.30	100
MC7006-240	70	-	-	-	6.5	49.50	20.00	23.00	29.10	12.00	100
MC7008-240	70	-	-	-	8.5	49.50	20.00	23.00	29.10	12.00	100
MC7006-230	70	-	-	-	6.5	50.00	23.00	25.00	26.60	13.00	100
MC7008-230	70	-	-	-	8.5	50.00	23.00	25.00	26.60	13.00	100
MC7010-230	70	-	-	-	10.5	50.00	23.00	25.00	26.60	13.00	100
MC7012	70	-	-	-	13	53.00	26.00	21.00	26.60	11.30	100
MC7012-230	70	-	-	-	13	53.00	26.00	25.00	26.60	13.00	100
MC7010-240	70	-	-	-	10.5	53.50	24.00	23.00	29.10	12.00	100
MC7008-232	70	-	-	-	8.5	54.50	23.00	20.50	31.10	11.30	100
MC7010-232	70	-	-	-	10.5	54.50	23.00	20.50	31.10	11.30	100
MC7008-231	70	-	-	-	8.5	55.50	23.00	23.00	32.50	12.00	100
MC7010-231	70	-	-	-	10.5	55.50	23.00	23.00	32.50	12.00	100
MC7012-240	70	-	-	-	13	55.50	26.00	23.00	29.10	12.00	100
MC7014	70	-	-	-	15	57.00	30.00	22.00	26.60	11.30	100
MC7012-232	70	-	-	-	13	57.50	26.00	20.50	31.10	11.30	100
MC7006-250	70	-	-	-	6.5	57.60	26.00	20.80	31.40	11.50	100
MC7008-250	70	-	-	-	8.5	57.60	26.00	20.80	31.40	11.50	100
MC7010-250	70	-	-	-	10.5	57.60	26.00	20.80	31.40	11.50	100
MC7012-250	70	-	-	-	13	57.60	26.00	20.80	31.40	11.50	100
MC7012-231	70	-	-	-	13	58.50	26.00	23.00	32.50	12.00	100
MC7014-240	70	-	-	-	15	58.50	29.00	23.00	29.10	12.00	100
MC7016-230	70	-	-	-	17	59.00	32.00	25.00	26.60	13.00	100
MC7016	70	-	-	-	17	61.00	34.00	24.00	26.60	11.30	100
MC7016-240	70	-	-	-	17	61.50	32.00	26.00	29.10	12.00	100
MC7006-251	70	-	-	-	6.5	61.50	28.50	24.50	32.60	13.50	100
MC7008-251	70	-	-	-	8.5	61.50	28.50	24.50	32.60	13.50	100
MC7010-251	70	-	-	-	10.5	61.50	28.50	24.50	32.60	13.50	100
MC7012-251	70	-	-	-	13	61.50	28.50	24.50	32.60	13.50	100
MC7020-240	70	-	-	-	21	67.50	38.00	30.00	29.10	12.00	100
MR7008	70	-	-	-	8.5	68.00	21.50	24.00	38.10	11.50	100
MR7010	70	-	-	-	10.5	70.00	25.50	24.00	38.10	11.50	100
MR7012	70	-	-	-	13	71.00	27.50	24.00	38.10	11.50	100
MR7014	70	-	-	-	15	71.00	29.00	24.00	38.10	11.50	100
MC7008-252	70	-	-	-	8.5	72.50	26.00	20.80	46.10	11.50	100
MC7010-252	70	-	-	-	10.5	72.50	26.00	20.80	46.10	11.50	100
MC7012-252	70	-	-	-	13	72.50	26.00	20.80	46.10	11.50	100
MR7016	70	-	-	-	17	74.00	33.50	30.00	38.10	11.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	19
Panduit	CT-2001 CT-930	--	P54
Burndy	MY29 Y644M	--	14
Celestra	A45	--	19


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC9506	95	-	-	-	6.5	46.50	15.00	25.50	30.80	13.50	100
MC9508	95	-	-	-	8.5	48.50	17.00	25.50	30.80	13.50	100
MC9510	95	-	-	-	10.5	52.50	21.00	25.50	30.80	13.50	100
MC9512	95	-	-	-	13	57.50	26.00	25.50	30.80	13.50	100
MC9508-240	95	-	-	-	8.5	58.00	24.00	26.00	33.10	13.50	100
MC9510-240	95	-	-	-	10.5	58.00	24.00	26.00	33.10	13.50	100
MC9508-232	95	-	-	-	8.5	58.50	23.00	24.00	34.60	13.00	100
MC9510-232	95	-	-	-	10.5	58.50	23.00	24.00	34.60	13.00	100
MC9512-240	95	-	-	-	13	60.00	26.00	26.00	33.10	13.50	100
MC9508-231	95	-	-	-	8.5	60.50	23.00	26.00	36.60	13.50	100
MC9510-231	95	-	-	-	10.5	60.50	23.00	26.00	36.60	13.50	100
MC9512-232	95	-	-	-	13	61.50	26.00	24.00	34.60	13.00	100
MC9514	95	-	-	-	15	61.50	30.00	25.50	30.80	13.50	100
MC9508-250	95	-	-	-	8.5	62.00	28.50	24.50	32.60	13.50	100
MC9510-250	95	-	-	-	10.5	62.00	28.50	24.50	32.60	13.50	100
MC9512-250	95	-	-	-	13	62.00	28.50	24.50	32.60	13.50	100
MC9516-250	95	-	-	-	17	62.00	28.50	24.50	32.60	13.50	100
MC9514-240	95	-	-	-	15	63.00	29.00	26.00	33.10	13.50	100
MC9512-231	95	-	-	-	13	63.50	26.00	26.00	36.60	13.50	100
MC9508-230	95	-	-	-	8.5	63.50	32.00	29.00	30.80	15.00	100
MC9510-230	95	-	-	-	10.5	63.50	32.00	29.00	30.80	15.00	100
MC9512-230	95	-	-	-	13	63.50	32.00	29.00	30.80	15.00	100
MC9516-230	95	-	-	-	17	63.50	32.00	29.00	30.80	15.00	100
MC9508-251	95	-	-	-	8.5	63.50	30.00	27.50	32.60	15.20	100
MC9510-251	95	-	-	-	10.5	63.50	30.00	27.50	32.60	15.20	100
MC9512-251	95	-	-	-	13	63.50	30.00	27.50	32.60	15.20	100
MC9516-251	95	-	-	-	17	63.50	30.00	27.50	32.60	15.20	100
MC9516	95	-	-	-	17	65.50	34.00	25.50	30.80	13.50	100
MC9516-240	95	-	-	-	17	66.00	32.00	28.00	33.10	13.50	100
MC9516-232	95	-	-	-	17	67.50	32.00	26.00	34.60	13.00	100
MC9516-231	95	-	-	-	17	69.50	32.00	26.00	36.60	13.50	100
MC9520	95	-	-	-	21	73.50	42.00	29.50	30.80	13.50	100
MR9508	95	-	-	-	8.5	78.00	23.50	28.00	45.10	13.50	100
MC9520-240	95	-	-	-	21	78.00	44.00	30.00	33.10	13.50	100
MR9510	95	-	-	-	10.5	80.00	25.50	28.00	45.10	13.50	100
MC9508-252	95	-	-	-	8.5	80.50	28.50	24.50	51.10	13.50	100
MC9510-252	95	-	-	-	10.5	80.50	28.50	24.50	51.10	13.50	100
MC9512-252	95	-	-	-	13	80.50	28.50	24.50	51.10	13.50	100
MC9516-252	95	-	-	-	17	80.50	28.50	24.50	51.10	13.50	100
MR9512	95	-	-	-	13	81.00	27.50	28.00	45.10	13.50	100
MR9514	95	-	-	-	15	81.00	29.00	28.00	45.10	13.50	100
MR9516	95	-	-	-	17	84.00	33.50	32.00	45.10	13.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	24
Panduit	CT-2001 CT-930	--	P62
Burndy	PAT600 Y35	--	15
Celestra	A45	--	24


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC1206	120	-	-	-	6.5	48.00	15.00	28.50	32.50	15.20	100
MC1208	120	-	-	-	8.5	50.00	17.00	28.50	32.50	15.20	100
MC1210	120	-	-	-	10.5	54.00	21.00	28.50	32.50	15.20	100
MC1212	120	-	-	-	13	59.00	26.00	28.50	32.50	15.20	100
MC1214	120	-	-	-	15	63.00	30.00	28.50	32.50	15.20	100
MC1208-240	120	-	-	-	8.5	63.50	28.00	28.00	34.90	15.00	100
MC1210-240	120	-	-	-	10.5	63.50	28.00	28.00	34.90	15.00	100
MC1212-240	120	-	-	-	13	63.50	28.00	28.00	34.90	15.00	100
MC1210-232	120	-	-	-	10.5	64.00	26.00	28.00	37.40	15.00	100
MC1212-232	120	-	-	-	13	64.00	26.00	28.00	37.40	15.00	100
MC1208-250	120	-	-	-	8.5	64.00	30.00	27.50	33.40	15.20	100
MC1210-250	120	-	-	-	10.5	64.00	30.00	27.50	33.40	15.20	100
MC1212-250	120	-	-	-	13	64.00	30.00	27.50	33.40	15.20	100
MC1216-250	120	-	-	-	17	64.00	30.00	27.50	33.40	15.20	100
MC1210-231	120	-	-	-	10.5	64.50	25.00	28.00	38.90	15.00	100
MC1210-230	120	-	-	-	10.5	65.00	32.00	32.00	32.50	17.00	100
MC1212-230	120	-	-	-	13	65.00	32.00	32.00	32.50	17.00	100
MC1216-230	120	-	-	-	17	65.00	32.00	32.00	32.50	17.00	100
MC1212-231	120	-	-	-	13	65.50	26.00	28.00	38.90	15.00	100
MC1214-240	120	-	-	-	15	65.50	30.00	28.00	34.90	15.00	100
MC1216	120	-	-	-	17	67.00	34.00	28.50	32.50	15.20	100
MC1216-240	120	-	-	-	17	67.50	32.00	28.00	34.90	15.00	100
MC1216-232	120	-	-	-	17	70.00	32.00	28.00	37.40	15.00	100
MC1216-231	120	-	-	-	17	71.50	32.00	28.00	38.90	15.00	100
MC1208-251	120	-	-	-	8.5	71.50	34.50	30.50	36.40	16.50	100
MC1210-251	120	-	-	-	10.5	71.50	34.50	30.50	36.40	16.50	100
MC1212-251	120	-	-	-	13	71.50	34.50	30.50	36.40	16.50	100
MC1216-251	120	-	-	-	17	71.50	34.50	30.50	36.40	16.50	100
MC1220	120	-	-	-	21	75.00	42.00	29.50	32.50	15.20	100
MC1220-240	120	-	-	-	21	79.50	44.00	30.00	34.90	15.00	100
MC1208-252	120	-	-	-	8.5	79.50	30.00	27.50	48.60	15.20	100
MC1210-252	120	-	-	-	10.5	79.50	30.00	27.50	48.60	15.20	100
MC1212-252	120	-	-	-	13	79.50	30.00	27.50	48.60	15.20	100
MC1216-252	120	-	-	-	17	79.50	30.00	27.50	48.60	15.20	100
MR1210	120	-	-	-	10.5	85.00	29.50	32.00	45.90	15.50	100
MR1212	120	-	-	-	13	86.00	31.50	32.00	45.90	15.50	100
MR1214	120	-	-	-	15	86.00	33.50	32.00	45.90	15.50	100
MR1216	120	-	-	-	17	89.00	37.50	32.00	45.90	15.50	100
MR1220	120	-	-	-	21	92.00	42.50	38.00	45.90	15.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	30
Panduit	CT-2001 CT-930	--	P66
Burndy	PAT600 Y35	--	17
Celestra	A45	--	30


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC1510	150	-	-	-	10.5	60.50	24.00	31.50	35.90	16.70	100
MC1508	150	-	-	-	8.5	60.50	24.00	31.50	35.90	16.70	100
MC1512	150	-	-	-	13	66.50	30.00	31.50	35.90	16.70	100
MC1510-230	150	-	-	-	10.5	68.50	32.00	36.00	35.90	19.00	100
MC1512-230	150	-	-	-	13	68.50	32.00	36.00	35.90	19.00	100
MC1516-230	150	-	-	-	17	68.50	32.00	36.00	35.90	19.00	100
MC1508-240	150	-	-	-	8.5	69.00	28.00	31.00	40.20	16.50	100
MC1510-240	150	-	-	-	10.5	69.00	28.00	31.00	40.20	16.50	100
MC1514	150	-	-	-	15	70.50	34.00	31.50	35.90	16.70	100
MC1512-240	150	-	-	-	13	71.00	30.00	31.00	40.20	16.50	100
MC1514-240	150	-	-	-	15	71.00	30.00	31.00	40.20	16.50	100
MC1516	150	-	-	-	17	72.50	36.00	31.50	35.90	16.70	100
MC1516-240	150	-	-	-	17	73.00	32.00	31.00	40.20	16.50	100
MC1508-250	150	-	-	-	8.5	73.00	34.50	30.50	37.70	16.50	100
MC1510-250	150	-	-	-	10.5	73.00	34.50	30.50	37.70	16.50	100
MC1512-250	150	-	-	-	13	73.00	34.50	30.50	37.70	16.50	100
MC1516-250	150	-	-	-	17	73.00	34.50	30.50	37.70	16.50	100
MC1508-251	150	-	-	-	8.5	73.00	34.00	33.50	38.40	18.60	100
MC1510-251	150	-	-	-	10.5	73.00	34.00	33.50	38.40	18.60	100
MC1512-251	150	-	-	-	13	73.00	34.00	33.50	38.40	18.60	100
MC1516-251	150	-	-	-	17	73.00	34.00	33.50	38.40	18.60	100
MC1512-232	150	-	-	-	13	75.00	32.00	32.00	42.20	17.00	100
MC1516-232	150	-	-	-	17	75.00	32.00	32.00	42.20	17.00	100
MC1520-230	150	-	-	-	21	75.50	39.00	36.00	35.90	19.00	100
MC1512-231	150	-	-	-	13	76.50	32.00	32.00	43.70	17.00	100
MC1516-231	150	-	-	-	17	76.50	32.00	32.00	43.70	17.00	100
MC1520-250	150	-	-	-	21	77.00	38.50	30.50	37.70	16.50	100
MC1520-251	150	-	-	-	21	77.50	38.50	33.50	38.40	18.60	100
MC1520	150	-	-	-	21	78.50	42.00	31.50	35.90	16.70	100
MC1520-232	150	-	-	-	21	82.00	39.00	32.00	42.20	17.00	100
MC1520-231	150	-	-	-	21	83.50	39.00	32.00	43.70	17.00	100
MC1520-240	150	-	-	-	21	85.00	44.00	31.00	40.20	16.50	100
MR1510	150	-	-	-	10.5	93.00	29.50	34.00	47.20	17.00	100
MR1512	150	-	-	-	13	94.00	31.50	34.00	47.20	17.00	100
MR1514	150	-	-	-	15	94.00	34.50	34.00	47.20	17.00	100
MR1516	150	-	-	-	17	97.00	37.50	34.00	47.20	17.00	100
MR1520	150	-	-	-	21	100.00	42.50	40.00	47.20	17.00	100
MC1508-252	150	-	-	-	8.5	102.50	34.50	30.50	67.20	16.50	100
MC1510-252	150	-	-	-	10.5	102.50	34.50	30.50	67.20	16.50	100
MC1512-252	150	-	-	-	13	102.50	34.50	30.50	67.20	16.50	100
MC1516-252	150	-	-	-	17	102.50	34.50	30.50	67.20	16.50	100
MC1520-252	150	-	-	-	21	106.50	38.50	30.50	67.20	16.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	37
Panduit	CT-2001 CT-930	--	P76
Burndy	PAT600 Y35	--	18
Celestra	A45	--	37


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC1808	185	-	-	-	8.5	64.00	24.00	35.50	39.40	19.20	100
MC1810	185	-	-	-	10.5	64.00	24.00	35.50	39.40	19.20	100
MC1812	185	-	-	-	13	70.00	30.00	35.50	39.40	19.20	100
MC1810-230	185	-	-	-	10.5	72.00	32.00	39.00	39.40	21.00	100
MC1812-230	185	-	-	-	13	72.00	32.00	39.00	39.40	21.00	100
MC1816-230	185	-	-	-	17	72.00	32.00	39.00	39.40	21.00	100
MC1814	185	-	-	-	15	74.00	34.00	35.50	39.40	19.20	100
MC1810-250	185	-	-	-	10.5	75.70	34.00	33.50	40.90	18.60	100
MC1812-250	185	-	-	-	13	75.70	34.00	33.50	40.90	18.60	100
MC1816-250	185	-	-	-	17	75.70	34.00	33.50	40.90	18.60	100
MC1816	185	-	-	-	17	76.00	36.00	35.50	39.40	19.20	100
MC1820-230	185	-	-	-	21	79.00	39.00	39.00	39.40	21.00	100
MC1810-240	185	-	-	-	10.5	79.50	36.00	35.00	42.70	19.00	100
MC1812-240	185	-	-	-	13	79.50	36.00	35.00	42.70	19.00	100
MC1814-240	185	-	-	-	15	79.50	36.00	35.00	42.70	19.00	100
MC1816-240	185	-	-	-	17	79.50	36.00	35.00	42.70	19.00	100
MC1812-231	185	-	-	-	13	80.00	32.00	35.00	47.20	19.00	100
MC1816-231	185	-	-	-	17	80.00	32.00	35.00	47.20	19.00	100
MC1820-250	185	-	-	-	21	80.20	38.50	33.50	40.90	18.60	100
MC1812-232	185	-	-	-	13	80.50	32.00	36.00	47.70	19.00	100
MC1816-232	185	-	-	-	17	80.50	32.00	36.00	47.70	19.00	100
MC1820	185	-	-	-	21	82.00	42.00	35.50	39.40	19.20	100
MC1820-231	185	-	-	-	21	87.00	39.00	35.00	47.20	19.00	100
MC1820-232	185	-	-	-	21	87.50	39.00	36.00	47.70	19.00	100
MC1820-240	185	-	-	-	21	87.50	44.00	35.00	42.70	19.00	100
MC1810-251	185	-	-	-	10.5	89.00	40.50	37.50	47.70	20.80	100
MC1812-251	185	-	-	-	13	89.00	40.50	37.50	47.70	20.80	100
MC1816-251	185	-	-	-	17	89.00	40.50	37.50	47.70	20.80	100
MC1820-251	185	-	-	-	21	89.00	40.50	37.50	47.70	20.80	100
MR1810	185	-	-	-	10.5	97.00	29.50	37.00	54.70	19.00	100
MR1812	185	-	-	-	13	98.00	31.50	37.00	54.70	19.00	100
MR1814	185	-	-	-	15	98.00	34.50	37.00	54.70	19.00	100
MR1816	185	-	-	-	17	101.00	37.50	37.00	54.70	19.00	100
MC1810-252	185	-	-	-	10.5	103.50	34.00	33.50	69.00	18.60	100
MC1812-252	185	-	-	-	13	103.50	34.00	33.50	69.00	18.60	100
MC1816-252	185	-	-	-	17	103.50	34.00	33.50	69.00	18.60	100
MR1820	185	-	-	-	21	104.00	42.50	40.00	54.70	19.00	100
MC1820-252	185	-	-	-	21	108.00	38.50	33.50	69.00	18.60	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	48
Panduit	CT-2001 CT-930	--	P87
Burndy	PAT600 Y35	--	20
Celestra	A45	--	48


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC2408	240	-	-	-	8.5	71.00	24.00	39.50	47.40	21.10	100
MC2410	240	-	-	-	10.5	71.00	24.00	39.50	47.40	21.10	100
MC2412	240	-	-	-	13	77.00	30.00	39.50	47.40	21.10	100
MC2414	240	-	-	-	15	81.00	34.00	39.50	47.40	21.10	100
MC2416	240	-	-	-	17	83.00	36.00	39.50	47.40	21.10	100
MC2412-232	240	-	-	-	13	86.00	32.00	39.00	54.30	21.00	100
MC2416-232	240	-	-	-	17	86.00	32.00	39.00	54.30	21.00	100
MC2410-230	240	-	-	-	10.5	86.00	39.00	42.00	47.40	22.50	100
MC2412-230	240	-	-	-	13	86.00	39.00	42.00	47.40	22.50	100
MC2416-230	240	-	-	-	17	86.00	39.00	42.00	47.40	22.50	100
MC2420-230	240	-	-	-	21	86.00	39.00	42.00	47.40	22.50	100
MC2412-231	240	-	-	-	13	86.50	32.00	38.00	54.80	21.00	100
MC2416-231	240	-	-	-	17	86.50	32.00	38.00	54.80	21.00	100
MC2420	240	-	-	-	21	89.00	42.00	39.50	47.40	21.10	100
MC2410-250	240	-	-	-	10.5	91.50	40.50	37.50	51.30	20.80	100
MC2412-250	240	-	-	-	13	91.50	40.50	37.50	51.30	20.80	100
MC2416-250	240	-	-	-	17	91.50	40.50	37.50	51.30	20.80	100
MC2420-250	240	-	-	-	21	91.50	40.50	37.50	51.30	20.80	100
MC2410-240	240	-	-	-	10.5	91.50	40.50	38.00	51.30	21.00	100
MC2412-240	240	-	-	-	13	91.50	40.50	38.00	51.30	21.00	100
MC2414-240	240	-	-	-	15	91.50	40.50	38.00	51.30	21.00	100
MC2416-240	240	-	-	-	17	91.50	40.50	38.00	51.30	21.00	100
MC2420-240	240	-	-	-	21	91.50	40.50	38.00	51.30	21.00	100
MC2420-232	240	-	-	-	21	93.00	39.00	39.00	54.30	21.00	100
MC2420-231	240	-	-	-	21	93.50	39.00	38.00	54.80	21.00	100
MC2410-251	240	-	-	-	10.5	98.00	42.00	42.50	56.60	23.50	100
MC2412-251	240	-	-	-	13	98.00	42.00	42.50	56.60	23.50	100
MC2416-251	240	-	-	-	17	98.00	42.00	42.50	56.60	23.50	100
MC2420-251	240	-	-	-	21	98.00	42.00	42.50	56.60	23.50	100
MR2412	240	-	-	-	13	108.00	31.50	42.00	58.30	21.50	100
MR2414	240	-	-	-	15	108.00	34.50	42.00	58.30	21.50	100
MR2416	240	-	-	-	17	111.00	37.50	42.00	58.30	21.50	100
MR2420	240	-	-	-	21	114.00	42.50	45.00	58.30	21.50	100
MC2410-252	240	-	-	-	10.5	119.50	40.50	37.50	79.80	20.80	100
MC2412-252	240	-	-	-	13	119.50	40.50	37.50	79.80	20.80	100
MC2416-252	240	-	-	-	17	119.50	40.50	37.50	79.80	20.80	100
MC2420-252	240	-	-	-	21	119.50	40.50	37.50	79.80	20.80	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	BPLT14	--	60
Panduit	CT-930 CT-940	--	P94
Burndy	PAT750 Y35	--	22
Celestra	A45	--	60


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC3110	300	-	-	-	10.5	90.00	31.00	44.50	58.10	23.70	100
MC3112	300	-	-	-	13	93.00	34.00	44.50	58.10	23.70	100
MC3114	300	-	-	-	15	97.00	38.00	44.50	58.10	23.70	100
MC3116	300	-	-	-	17	100.00	41.00	44.50	58.10	23.70	100
MC3112-231	300	-	-	-	13	100.50	39.00	44.00	60.80	24.00	100
MC3116-231	300	-	-	-	17	100.50	39.00	44.00	60.80	24.00	100
MC3120-231	300	-	-	-	21	100.50	39.00	44.00	60.80	24.00	100
MC3112-232	300	-	-	-	13	100.50	39.00	44.00	60.80	24.00	100
MC3116-232	300	-	-	-	17	100.50	39.00	44.00	60.80	24.00	100
MC3120-232	300	-	-	-	21	100.50	39.00	44.00	60.80	24.00	100
MC3110-250	300	-	-	-	10.5	100.80	42.00	42.50	58.10	23.50	100
MC3112-250	300	-	-	-	13	100.80	42.00	42.50	58.10	23.50	100
MC3116-250	300	-	-	-	17	100.80	42.00	42.50	58.10	23.50	100
MC3120-250	300	-	-	-	21	100.80	42.00	42.50	58.10	23.50	100
MC3120	300	-	-	-	21	106.00	47.00	44.50	58.10	23.70	100
MC3112-240	300	-	-	-	13	110.50	48.00	43.00	61.80	23.50	100
MC3114-240	300	-	-	-	15	110.50	48.00	43.00	61.80	23.50	100
MC3116-240	300	-	-	-	17	110.50	48.00	43.00	61.80	23.50	100
MC3120-240	300	-	-	-	21	110.50	48.00	43.00	61.80	23.50	100
MC3110-230	300	-	-	-	10.5	113.00	54.00	45.50	58.10	24.50	100
MC3112-230	300	-	-	-	13	113.00	54.00	45.50	58.10	24.50	100
MC3116-230	300	-	-	-	17	113.00	54.00	45.50	58.10	24.50	100
MC3120-230	300	-	-	-	21	113.00	54.00	45.50	58.10	24.50	100
MC3124-230	300	-	-	-	25	113.00	54.00	45.50	58.10	24.50	100
MC3110-251	300	-	-	-	10.5	113.50	50.00	48.00	62.60	26.20	100
MC3112-251	300	-	-	-	13	113.50	50.00	48.00	62.60	26.20	100
MC3116-251	300	-	-	-	17	113.50	50.00	48.00	62.60	26.20	100
MC3120-251	300	-	-	-	21	113.50	50.00	48.00	62.60	26.20	100
MR3114	300	-	-	-	15	116.00	36.50	48.00	69.80	24.50	100
MR3116	300	-	-	-	17	119.00	39.50	48.00	69.80	24.50	100
MR3120	300	-	-	-	21	122.00	42.50	48.00	69.80	24.50	100
MC3110-252	300	-	-	-	10.5	129.00	42.00	42.50	86.20	23.50	100
MC3112-252	300	-	-	-	13	129.00	42.00	42.50	86.20	23.50	100
MC3116-252	300	-	-	-	17	129.00	42.00	42.50	86.20	23.50	100
MC3120-252	300	-	-	-	21	129.00	42.00	42.50	86.20	23.50	100
MCX3110-252	300	-	-	-	10.5	143.00	50.00	48.00	90.80	26.20	100
MCX3112-252	300	-	-	-	13	143.00	50.00	48.00	90.80	26.20	100
MCX3116-252	300	-	-	-	17	143.00	50.00	48.00	90.80	26.20	100
MCX3120-252	300	-	-	-	21	143.00	50.00	48.00	90.80	26.20	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	BPLT14 TBM26	--	80
Panduit	CT-930 CT-940	--	P106
Burndy	PAT750 Y35	--	24
Celestra	A45	--	80


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC4110	400	-	-	-	10.5	102.00	41.00	50.50	61.90	27.00	100
MC4112	400	-	-	-	13	102.00	41.00	50.50	61.90	27.00	100
MC4114	400	-	-	-	15	102.00	41.00	50.50	61.90	27.00	100
MC4116	400	-	-	-	17	102.00	41.00	50.50	61.90	27.00	100
MC4120	400	-	-	-	21	108.00	47.00	50.50	61.90	27.00	100
MC4112-240	400	-	-	-	13	112.00	48.00	49.00	65.30	27.00	100
MC4114-240	400	-	-	-	15	112.00	48.00	49.00	65.30	27.00	100
MC4116-240	400	-	-	-	17	112.00	48.00	49.00	65.30	27.00	100
MC4120-240	400	-	-	-	21	112.00	48.00	49.00	65.30	27.00	100
MC4116-231	400	-	-	-	17	114.50	52.00	47.00	63.30	26.00	100
MC4120-231	400	-	-	-	21	114.50	52.00	47.00	63.30	26.00	100
MC4124-231	400	-	-	-	25	114.50	52.00	47.00	63.30	26.00	100
MC4112-250	400	-	-	-	13	114.80	50.00	49.50	66.10	27.00	100
MC4116-250	400	-	-	-	17	114.80	50.00	49.50	66.10	27.00	100
MC4120-250	400	-	-	-	21	114.80	50.00	49.50	66.10	27.00	100
MC4116-232	400	-	-	-	17	116.00	53.00	47.00	64.30	26.00	100
MC4120-232	400	-	-	-	21	116.00	53.00	47.00	64.30	26.00	100
MC4124-232	400	-	-	-	25	116.00	53.00	47.00	64.30	26.00	100
MC4112-230	400	-	-	-	13	125.00	55.00	55.00	71.30	30.00	100
MC4116-230	400	-	-	-	17	125.00	55.00	55.00	71.30	30.00	100
MC4120-230	400	-	-	-	21	125.00	55.00	55.00	71.30	30.00	100
MC4124-230	400	-	-	-	25	125.00	55.00	55.00	71.30	30.00	100
MC4112-252	400	-	-	-	13	135.50	50.00	49.50	86.50	27.00	100
MC4116-252	400	-	-	-	17	135.50	50.00	49.50	86.50	27.00	100
MC4120-252	400	-	-	-	21	135.50	50.00	49.50	86.50	27.00	100
MR4114	400	-	-	-	15	140.00	48.50	55.00	93.30	27.50	100
MR4116	400	-	-	-	17	140.00	48.50	55.00	93.30	27.50	100
MR4120	400	-	-	-	21	140.00	48.50	55.00	93.30	27.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°






Installation Information			
Manufacturer	**Tools**	**Color**	**Code**
T&B	TBM26 TBM60	--	100
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	L115
Celestra	A45	--	100


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	**Stranded**	**Flexible**	**2r**	**5f / 6f**	**Stud**	**A**	**B**	**C**	**R**	**ID**	**Std. Pkg.**
MC5110	500	-	-	-	10.5	97.00	34.00	56.50	65.80	30.30	100
MC5112	500	-	-	-	13	104.00	41.00	56.50	65.80	30.30	100
MC5116	500	-	-	-	17	104.00	41.00	56.50	65.80	30.30	100
MC5120	500	-	-	-	21	110.00	47.00	56.50	65.80	30.30	100
MC5112-250	500	-	-	-	13	121.50	54.00	57.50	69.80	31.00	100
MC5116-250	500	-	-	-	17	121.50	54.00	57.50	69.80	31.00	100
MC5120-250	500	-	-	-	21	121.50	54.00	57.50	69.80	31.00	100
MC5116-231	500	-	-	-	17	146.00	60.00	58.00	88.30	31.00	100
MC5120-231	500	-	-	-	21	146.00	60.00	58.00	88.30	31.00	100
MC5124-231	500	-	-	-	25	146.00	60.00	58.00	88.30	31.00	100
MC5116-232	500	-	-	-	17	146.00	60.00	58.00	88.30	31.00	100
MC5120-232	500	-	-	-	21	146.00	60.00	58.00	88.30	31.00	100
MC5124-232	500	-	-	-	25	146.00	60.00	58.00	88.30	31.00	100
MC5116-230	500	-	-	-	17	146.00	60.00	61.00	88.30	33.00	100
MC5120-230	500	-	-	-	21	146.00	60.00	61.00	88.30	33.00	100
MC5124-230	500	-	-	-	25	146.00	60.00	61.00	88.30	33.00	100
MR5116	500	-	-	-	17	150.00	48.50	60.00	95.30	31.00	100
MR5120	500	-	-	-	21	150.00	48.50	60.00	95.30	31.00	100
MC5112-252	500	-	-	-	13	151.00	54.00	57.50	99.50	31.00	100
MC5116-252	500	-	-	-	17	151.00	54.00	57.50	99.50	31.00	100
MC5120-252	500	-	-	-	21	151.00	54.00	57.50	99.50	31.00	100

© 2002 HUYA Corporation. Specifications are subject to change without notice.

Metric connectors for copper conductor

One hole 0°





Installation Information


Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	120
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	29
Celestra	A45	--	120


	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MR6216	625	-	-	-	17	160.00	48.50	60.00	105.30	34.50	100
MR6220	625	-	-	-	21	160.00	48.50	60.00	105.30	34.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**

Metric connectors for copper conductor

One hole 0°





Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	120
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	29
Celestra	A45	--	120

	Conduct Size sq.mm					Dimensions mm					
Cat. Nos	Stranded	Flexible	2r	5f / 6f	Stud	A	B	C	R	ID	Std. Pkg.
MC6316	630	-	-	-	17	119.00	41.00	61.60	76.90	33.40	100
MC6320	630	-	-	-	21	125.00	47.00	61.60	76.90	33.40	100
MC6316-250	630	-	-	-	17	136.20	56.00	63.50	79.50	34.50	100
MC6320-250	630	-	-	-	21	136.20	56.00	63.50	79.50	34.50	100
MC6320-231	630	-	-	-	21	149.00	60.00	65.00	88.30	34.00	100
MC6324-231	630	-	-	-	25	149.00	60.00	65.00	88.30	34.00	100
MC6320-232	630	-	-	-	21	149.00	60.00	65.00	88.30	34.00	100
MC6324-232	630	-	-	-	25	149.00	60.00	65.00	88.30	34.00	100
MC6316-252	630	-	-	-	17	164.50	56.00	63.50	107.60	34.50	100
MC6320-252	630	-	-	-	21	164.50	56.00	63.50	107.60	34.50	100

© 2002 HUYA Corporation. Specifications are subject to change without notice.