



One - Hole Long Barrel



Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Wire Size			Dimension (in.)						Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
LA0214N	#2 AWG	—	1/4	2.43	1.19	0.41	1.15	0.30	100

One - Hole Long Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Wire Size			Dimension (in.)						Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
LA1010N	#1/0 AWG	—	#10	1.76	0.54	0.52	1.22	0.39	100

COMPRESSION CONNECTORS

One - Hole Long Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	White	66
Panduit	CT-720 CT-920	White	P66
Burndy	Y35 Y45	White	17
Celestra	A45	White	66

Wire Size			Dimension (in.)						Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
LA3112N	300 kcmil	300 Navy	1/2	3.20	1.06	0.85	2.00	0.70	100
LA3114N	300 kcmil	300 Navy	1/4	2.70	0.56	0.85	2.00	0.70	100
LA3138N	300 kcmil	300 Navy	3/8	2.96	0.82	0.85	2.00	0.70	100
LA3156N	300 kcmil	300 Navy	5/16	2.92	0.78	0.85	2.00	0.70	100

COMPRESSION CONNECTORS

One - Hole Long Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18
Celestra	A45	Red	71

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
LA3512N	350 kcmil	350 Navy	1/2	3.74	1.25	0.93	2.35	0.75	100
LA3558N	350 kcmil	350 Navy	5/8	3.74	1.25	0.93	2.35	0.75	100

COMPRESSION CONNECTORS

One - Hole Long Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Blue	76
Panduit	CT-720 CT-920	Blue	P76
Burndy	Y35 Y45	Blue	19
Celestra	A45	Blue	76

Wire Size			Dimension (in.)						Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
LA4112N	400 kcmil	400 Navy	1/2	3.74	1.25	0.96	2.45	0.79	100
LA4158N	400 kcmil	400 Navy	5/8	4.07	1.58	0.96	1.98	0.79	100

COMPRESSION CONNECTORS

One - Hole Long Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8 TBM12	Brown	87
Panduit	CT-720 CT-920	Brown	P87
Burndy	Y35 Y45	Brown	20
Celestra	A45	Brown	87

Wire Size			Dimension (in.)						Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
LA5112N	500 kcmil	500 Navy	1/2	4.05	1.06	1.10	2.99	0.88	100
LA5114N	500 kcmil	500 Navy	1/4	3.64	0.65	1.10	2.99	0.88	100
LA5138N	500 kcmil	500 Navy	3/8	3.89	0.90	1.10	2.99	0.88	100
LA5156N	500 kcmil	500 Navy	5/16	3.89	0.90	1.10	2.99	0.88	100
LA5158N	500 kcmil	500 Navy	5/8	4.49	1.50	1.10	2.99	0.88	100

One - Hole Long Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14	Green	94
Panduit	CT-920 CT-980	Green	P94
Burndy	Y35 Y45	Green	22
Celestra	A45	Green	94

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
LA6112N	600 kcmil	—	1/2	4.30	1.06	1.20	3.14	0.96	100

COMPRESSION CONNECTORS

One - Hole Long Barrel



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14M	Black	106
Panduit	CT-920 CT-980	Black	P106
Burndy	Y35 Y45	Black	24
Celestra	A45	Black	106

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
LA7512N	750 kcmil	—	1/2	4.49	1.25	1.33	3.24	1.06	100
LA7558N	750 kcmil	—	5/8	4.82	1.58	1.33	3.24	1.06	100