


COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB061058N	#6 AWG	—	#10	1.90	1.13	0.31	0.63	0.70	0.23	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Gray	29
Panduit	CT-720 CT-920	Gray	P29
Burndy	Y1MR Y2MR	Gray	8
Celestra	A45	Gray	29

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB041058N	#4 AWG	—	#10	1.97	1.13	0.37	0.63	0.75	0.27	100
DB041001N	#4 AWG	—	#10	2.34	1.50	0.37	1.00	0.75	0.27	100
DB041458N	#4 AWG	40-50 Navy	1/4	2.12	1.28	0.41	0.63	0.75	0.27	100
DB041058-250N	#4 AWG	—	#10	1.90	1.13	0.36	0.63	0.75	0.28	100
DB041001-261N	#4 AWG	—	#10	2.36	1.52	0.38	1.00	0.75	0.28	100
DB041034-261N	#4 AWG	—	#10	2.11	1.27	0.38	0.75	0.75	0.28	100
DB041058-261N	#4 AWG	—	#10	1.99	1.15	0.38	0.63	0.75	0.28	100
DB041458-261N	#4 AWG	—	1/4	2.10	1.26	0.38	0.63	0.75	0.28	100

COMPRESSION CONNECTORS


Two - Holes Stand Barrel



Wire Size			Dimension (in.)							Std. Pkg.
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	
DB021058-250N	#2 AWG	—	#10	1.98	1.15	0.48	0.63	0.88	0.30	100
DB021458-260N	#2 AWG	—	1/4	2.48	1.26	0.48	0.63	1.13	0.30	100
DB021434-260N	#2 AWG	—	1/4	2.61	1.39	0.48	0.75	1.13	0.30	100
DB021401-260N	#2 AWG	—	1/4	2.86	1.64	0.48	1.00	1.13	0.30	100
DB021458N	#2 AWG	—	1/4	2.13	1.19	0.41	0.63	0.85	0.30	100
DB021434N	#2 AWG	#60 Navy	1/4	2.25	1.31	0.41	0.75	0.85	0.30	100
DB021401N	#2 AWG	#4 Weld	1/4	2.50	1.56	0.41	1.00	0.85	0.30	100
DB021058N	#2 AWG	125/24	#10	2.13	1.19	0.41	0.63	0.85	0.30	100
DB021458-250N	#2 AWG	—	1/4	2.48	1.26	0.42	0.63	1.13	0.31	100
DB021434-250N	#2 AWG	—	1/4	2.60	1.38	0.42	0.75	1.13	0.31	100
DB021401-250N	#2 AWG	—	1/4	2.85	1.63	0.42	1.00	1.13	0.31	100
DB021058-261N-1	#2 AWG	—	#10	2.28	1.15	0.47	0.63	1.13	0.36	100
DB021434-251N	#2 AWG	—	1/4	2.22	1.38	0.47	0.75	0.84	0.36	100
DB021458-251N	#2 AWG	—	1/4	2.10	1.26	0.47	0.63	0.84	0.36	100
DB021058-261N	#2 AWG	—	#10	2.12	1.15	0.46	0.63	0.88	0.36	100
DB021401-261N	#2 AWG	—	1/4	2.62	1.65	0.46	1.00	0.88	0.36	100
DB021458-261N	#2 AWG	—	1/4	2.25	1.28	0.46	0.63	0.88	0.36	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB011434-250N	#1 AWG	—	1/4	2.60	1.38	0.47	0.75	1.13	0.36	100
DB011458-260N	#1 AWG	#2 Weld	1/4	2.48	1.26	0.46	0.63	1.13	0.36	100
DB011434-260N	#1 AWG	150/24	1/4	2.61	1.39	0.46	0.75	1.13	0.36	100
DB011458N	#1 AWG	—	1/4	2.13	1.19	0.47	0.63	0.85	0.36	100
DB015601N	#1 AWG	—	5/16	2.72	1.78	0.47	1.00	0.85	0.36	100
DB011058N	#1 AWG	—	#10	2.06	1.13	0.47	0.63	0.85	0.36	100
DB011401N	#1 AWG	—	1/4	2.56	1.62	0.47	1.00	0.85	0.36	100
DB011434N	#1 AWG	—	1/4	2.32	1.38	0.47	0.75	0.85	0.36	100
DB015601-261N	#1 AWG	—	5/16	2.67	1.70	0.51	1.00	0.88	0.39	100
DB011458-261N	#1 AWG	—	1/4	2.24	1.28	0.51	0.63	0.87	0.39	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB101401-250N	#1/0 AWG	—	1/4	2.98	1.70	0.52	1.00	1.22	0.39	100
DB105601-250N	#1/0 AWG	—	5/16	3.04	1.76	0.52	1.00	1.22	0.39	100
DB101458-260N	#1/0 AWG	#1 Weld	1/4	2.52	1.30	0.51	0.63	1.16	0.39	100
DB101401-260N	#1/0 AWG	225/24	1/4	3.16	1.94	0.51	1.00	1.16	0.39	100
DB103801N	#1/0 AWG	—	3/8	2.97	1.93	0.52	1.00	0.98	0.40	100
DB105678N	#1/0 AWG	—	5/16	2.70	1.66	0.52	0.88	0.98	0.40	100
DB105601N	#1/0 AWG	—	5/16	2.82	1.78	0.52	1.00	0.98	0.40	100
DB101458N	#1/0 AWG	—	1/4	2.23	1.19	0.52	0.63	0.98	0.40	100
DB105601-261N	#1/0 AWG	—	5/16	2.74	1.71	0.56	1.00	0.97	0.44	100
DB101434-251N	#1/0 AWG	—	1/4	2.43	1.41	0.58	0.75	1.00	0.45	100
DB100858-251N	#1/0 AWG	—	#8	1.82	1.06	0.58	0.67	0.71	0.45	100
DB101401-261N	#1/0 AWG	—	1/4	2.68	1.65	0.56	1.00	0.97	0.44	100
DB101458-261N	#1/0 AWG	—	1/4	2.31	1.28	0.56	0.63	0.97	0.44	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13
Celestra	A45	Black	45

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB201458-260N	#2/0 AWG	—	1/4	2.52	1.22	0.56	0.63	1.24	0.44	100
DB201401-260N	#2/0 AWG	—	1/4	2.90	1.60	0.56	1.00	1.24	0.44	100
DB203801N	#2/0 AWG	—	3/8	2.88	1.82	0.57	1.00	1.00	0.45	100
DB205678N	#2/0 AWG	—	5/16	2.72	1.66	0.57	0.88	1.00	0.45	100
DB203843N	#2/0 AWG	—	3/8	3.63	2.57	0.57	1.75	1.00	0.45	100
DB201434N	#2/0 AWG	—	1/4	2.37	1.31	0.57	0.75	1.00	0.45	100
DB201458N	#2/0 AWG	—	1/4	2.25	1.19	0.57	0.63	1.00	0.45	100
DB201458-250N	#2/0 AWG	—	1/4	2.75	1.41	0.58	0.63	1.28	0.45	100
DB201401-250N	#2/0 AWG	—	1/4	3.12	1.78	0.58	1.00	1.28	0.45	100
DB205658-250N	#2/0 AWG	—	5/16	2.75	1.41	0.58	0.63	1.28	0.45	100
DB205601-250N	#2/0 AWG	—	5/16	3.12	1.78	0.58	1.00	1.28	0.45	100
DB205601-261N	#2/0 AWG	—	5/16	2.88	1.71	0.63	1.00	1.11	0.50	100
DB203801-261N	#2/0 AWG	—	3/8	3.01	1.84	0.63	1.00	1.11	0.50	100
DB201458-261N	#2/0 AWG	—	1/4	2.45	1.28	0.63	0.63	1.11	0.50	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Orange	50
Panduit	CT-720 CT-920	Orange	P50
Burndy	MY29 Y644M	Orange	14
Celestra	A45	Orange	50

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB301458-260N	#3/0 AWG	—	1/4	2.69	1.30	0.62	0.63	1.32	0.50	100
DB303801-260N	#3/0 AWG	—	3/8	3.23	1.84	0.62	1.00	1.32	0.50	100
DB305601-260N	#3/0 AWG	—	5/16	3.12	1.73	0.62	1.00	1.32	0.50	100
DB303801N	#3/0 AWG	—	3/8	2.91	1.82	0.63	1.00	1.02	0.51	100
DB305601N	#3/0 AWG	—	5/16	2.87	1.78	0.63	1.00	1.02	0.51	100
DB303843N	#3/0 AWG	—	3/8	3.66	2.57	0.63	1.75	1.02	0.51	100
DB301458N	#3/0 AWG	—	1/4	2.28	1.19	0.63	0.63	1.02	0.51	100
DB305658N	#3/0 AWG	—	5/16	2.84	1.75	0.63	0.63	1.02	0.51	100
DB305601-250N	#3/0 AWG	—	5/16	3.24	1.78	0.60	0.95	1.46	0.51	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15
Celestra	A45	Purple	54

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB401458-260N	#4/0 AWG	—	1/4	2.57	1.30	0.69	0.63	1.20	0.56	100
DB403801N	#4/0 AWG	—	3/8	3.16	1.82	0.70	1.00	1.27	0.56	100
DB403843N	#4/0 AWG	200 Navy	3/8	3.91	2.57	0.70	1.75	1.27	0.56	100
DB401434N	#4/0 AWG	3/0 Weld	1/4	2.65	1.31	0.70	0.75	1.27	0.56	100
DB405658N	#4/0 AWG	450/24	5/16	3.15	1.81	0.70	0.63	1.27	0.56	100
DB403801-261NC	#4/0 AWG	—	3/8	3.26	1.84	0.81	1.00	1.35	0.65	100
DB401458-261N	#4/0 AWG	—	1/4	2.70	1.28	0.77	0.63	1.35	0.64	100
DB403801-261N	#4/0 AWG	—	3/8	3.26	1.84	0.77	1.00	1.35	0.64	100
DB403801-261N-1	#4/0 AWG	—	3/8	3.16	1.83	0.80	1.00	1.27	0.65	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Yellow	62
Panduit	CT-720 CT-920	Yellow	P62
Burndy	MY29 Y644M	Yellow	16
Celestra	A45	Yellow	62

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB253801-260N	250 kcmil	250 Navy	3/8	3.27	1.83	0.75	1.00	1.35	0.61	100
DB253843-260N	250 kcmil	250 Navy	3/8	4.08	2.58	0.75	1.75	1.41	0.61	100
DB253801N	250 kcmil	250 Navy	3/8	3.31	1.82	0.77	1.00	1.40	0.63	100
DB251243N	250 kcmil	250 Navy	1/2	4.30	2.81	0.77	1.75	1.40	0.63	100
DB253843N	250 kcmil	250 Navy	3/8	4.30	2.81	0.77	1.75	1.40	0.63	100
DB253801-261N	250 kcmil	250 Navy	3/8	3.34	1.84	0.88	1.00	1.41	0.70	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	White	66
Panduit	CT-720 CT-920	White	P66
Burndy	Y35 Y45	White	17
Celestra	A45	White	66

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB313801N	300 kcmil	300 Navy	3/8	3.41	1.82	0.85	1.00	1.45	0.70	100
DB311243N	300 kcmil	300 Navy	1/2	4.40	2.81	0.85	1.75	1.45	0.70	100
DB311458N	300 kcmil	300 Navy	1/4	2.71	1.13	0.85	0.63	1.45	0.70	100
DB313878N	300 kcmil	300 Navy	3/8	3.22	1.64	0.85	0.88	1.45	0.70	100
DB315658N	300 kcmil	300 Navy	5/16	2.97	1.39	0.85	0.63	1.45	0.70	100
DB313801-261N	300 kcmil	300 Navy	3/8	3.57	1.84	0.95	1.00	1.59	0.76	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18
Celestra	A45	Red	71

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB353801-250N	350 kcmil	350 Navy	3/8	3.90	1.82	0.88	1.00	1.94	0.70	100
DB353801-260N	350 kcmil	350 Navy	3/8	3.52	1.82	0.88	1.00	1.56	0.70	100
DB353843-260N	350 kcmil	350 Navy	3/8	4.29	2.59	0.88	1.75	1.56	0.70	100
DB351243N	350 kcmil	350 Navy	1/2	4.50	2.81	0.93	1.75	1.55	0.75	100
DB353801-261N	350 kcmil	350 Navy	3/8	3.75	1.84	1.06	1.00	1.77	0.84	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	-	Brown	-
Panduit	CT-920 CT-930	Brown	P87
Burndy	Y35 Y45	Brown	20
Celestra	A45	Brown	-

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB453841-261N	450 kcmil	-	3/8	4.42	2.30	1.19	1.25	2.12	0.93	100
DB453801-261N	450 kcmil	-	3/8	4.15	2.03	1.19	1.00	2.12	0.93	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8 TBM12	Brown	87
Panduit	CT-720 CT-920	Brown	P87
Burndy	Y35 Y45	Brown	20
Celestra	A45	Brown	87

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB513801-250N	500 kcmil	500 Navy	3/8	4.31	1.82	1.06	1.00	2.39	0.84	100
DB511201-250N	500 kcmil	500 Navy	1/2	4.75	2.26	1.06	1.00	2.39	0.84	100
DB513801-260N	500 kcmil	500 Navy	3/8	3.83	1.82	1.06	1.00	1.91	0.84	100
DB513843-260N	500 kcmil	500 Navy	3/8	4.59	2.58	1.06	1.75	1.91	0.84	100
DB511201-260N	500 kcmil	500 Navy	1/2	4.09	2.08	1.06	1.00	1.91	0.84	100
DB515601N	500 kcmil	500 Navy	5/16	4.36	2.36	1.10	1.00	2.04	0.88	100
DB513843N	500 kcmil	500 Navy	3/8	4.71	2.57	1.10	1.75	2.04	0.88	100
DB511243N	500 kcmil	500 Navy	1/2	4.95	2.81	1.10	1.75	2.04	0.88	100
DB511243-261N	500 kcmil	500 Navy	1/2	5.22	3.03	1.25	1.75	2.09	0.98	100
DB513801-261N	500 kcmil	500 Navy	3/8	4.22	2.03	1.25	1.00	2.09	0.98	100
DB513801-261NC	500 kcmil	500 Navy	3/8	4.22	2.03	1.25	1.00	2.09	0.98	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14	Green	94
Panduit	CT-920 CT-980	Green	P94
Burndy	Y35 Y45	Green	22
Celestra	A45	Green	94

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB611243-260N	600 kcmil	—	1/2	5.22	3.00	1.19	1.75	2.12	0.93	100

COMPRESSION CONNECTORS


Two - Holes Stand Barrel



Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB651243-261N	650 kcmil	—	1/2	5.29	3.03	1.35	1.75	2.16	1.05	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	40TON TBM8-750	Pink	99
Panduit	-	Pink	-
Burndy	Y39 Y644M	Pink	400
Celestra	A45	Pink	99

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB711243N	700 kcmil	-	1/2	5.54	3.00	1.25	1.75	2.54	0.97	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14M	Black	106
Panduit	CT-920 CT-980	Black	P106
Burndy	Y35 Y45	Black	24
Celestra	A45	Black	106

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB753801-250N	750 kcmil	—	3/8	4.78	2.06	1.30	1.00	2.72	1.03	100
DB753801-260N	750 kcmil	—	3/8	4.32	2.06	1.30	1.00	2.26	1.03	100
DB753843-260N	750 kcmil	—	3/8	5.04	2.78	1.30	1.75	2.26	1.03	100
DB751201-260N	750 kcmil	—	1/2	4.42	2.08	1.30	1.00	2.26	1.03	100
DB753843N	750 kcmil	—	3/8	4.93	2.57	1.33	1.75	2.37	1.06	100
DB751243N	750 kcmil	—	1/2	5.18	2.81	1.33	1.75	2.37	1.06	100
DB753801N	750 kcmil	—	3/8	4.18	1.82	1.33	1.00	2.37	1.06	100
DB751243-261N	750 kcmil	—	1/2	5.52	3.03	1.50	1.75	2.49	1.17	100
DB753801-261N	750 kcmil	—	3/8	4.52	2.03	1.50	1.00	2.49	1.17	100

Two - Holes Stand Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	15TON 40TON	Orange	107
Panduit	-	Orange	-
Burndy	Y35 Y46	Orange	25
Celestra	A45	Orange	107

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB911243N	900 kcmil	1925/24	1/2	5.35	2.81	1.50	1.75	2.54	1.19	100

COMPRESSION CONNECTORS

Two - Holes Stand Barrel



Installation Information

Manufacturer	Tools	Color	Code
T&B	14TON 15TON	White	125
Panduit	CT-920 CT-930	White	P125
Burndy	Y35 Y46	White	27
Celestra	A45	White	125

Wire Size			Dimension (in.)							
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	G	R	ID	Std. Pkg.
DB113801N	1000 kcmil	1000 Navy	3/8	4.48	1.82	1.55	1.00	2.70	1.25	100
DB111243N	1000 kcmil	1000 Navy	1/2	5.48	2.81	1.55	1.75	2.70	1.25	100