


COMPRESSION CONNECTORS

Two - Holes 45° Standard Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB061458F-250N	#6 AWG	—	1/4	1.26	0.42	0.63	1.08	0.22	100

COMPRESSION CONNECTORS

Two - Holes 45° Standard Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Gray	29
Panduit	CT-720 CT-920	Gray	P29
Burndy	Y1MR Y2MR	Gray	8
Celestra	A45	Gray	29

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB041458F-250N	#4 AWG	—	1/4	1.26	0.42	0.63	1.13	0.28	100

COMPRESSION CONNECTORS

Two - Holes 45° Standard Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB021458F-250N	#2 AWG	—	1/4	1.26	0.42	0.63	1.13	0.31	100
DB021434F-251N	#2 AWG	—	1/4	1.38	0.47	0.75	0.84	0.36	100

Two - Holes 45° Standard Barrel




Installation Information			
Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB101434F-251N	#1/0 AWG	—	1/4	1.53	0.58	0.75	1.00	0.45	100

COMPRESSION CONNECTORS

Two - Holes 45° Standard Barrel



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13
Celestra	A45	Black	45

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB201458F-250N	#2/0 AWG	—	1/4	1.66	0.57	0.63	1.00	0.45	100