


COMPRESSION CONNECTORS

Two - Holes 90° Standard Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB061458A-250N	#6 AWG	—	1/4	1.26	0.42	0.63	1.08	0.22	100

COMPRESSION CONNECTORS

Two - Holes 90° Standard Barrel




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Gray	29
Panduit	CT-720 CT-920	Gray	P29
Burndy	Y1MR Y2MR	Gray	8
Celestra	A45	Gray	29

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB041458A-250N	#4 AWG	—	1/4	1.26	0.42	0.63	1.13	0.28	100

COMPRESSION CONNECTORS

Two - Holes 90° Standard Barrel



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10
Celestra	A45	Brown	33

Wire Size			Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	B	C	G	R	ID	Std. Pkg.
DB021058A-250N	#2 AWG	—	#10	1.15	0.48	0.63	0.88	0.30	100
DB021458A-250N	#2 AWG	—	1/4	1.26	0.42	0.63	1.13	0.31	100
DB021058A-261N	#2 AWG	—	#10	1.15	0.47	0.63	1.13	0.36	100