


Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Pink	42
Panduit	CT-720 CT-920	Pink	P42
Burndy	MY29 Y644M	Pink	12
Celestra	A45	Pink	42

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL021243-62	1/2	#2 AWG	4.53	3.11	0.85	0.18	0.63	1.75	0.31	1.12	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Orange	50
Panduit	CT-720 CT-920	Orange	P50
Burndy	MY29 Y644M	Orange	14
Celestra	A45	Orange	50

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL101243-62	1/2	1/0 AWG	4.41	3.01	0.82	0.21	0.63	1.75	0.39	1.05	—
AL103801	3/8	1/0 AWG	3.40	1.90	0.88	0.2	0.38	1.00	0.41	1.15	—
AL103843-52	3/8	1/0 AWG	5.16	3.26	0.88	0.25	0.63	1.75	0.39	1.55	—
AL103843-62	3/8	1/0 AWG	3.64	2.24	0.82	0.21	0.63	1.00	0.39	1.05	—

© 2002 HUYA Corporation. Specifications are subject to change without notice.




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15
Celestra	A45	Purple	54

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL201243	1/2	2/0 AWG	5.02	3.41	0.97	0.24	0.75	1.75	0.46	1.21	—
AL201243-52	1/2	2/0 AWG	5.21	3.26	0.94	0.25	0.63	1.75	0.44	1.55	—
AL201243-62	1/2	2/0 AWG	4.68	3.11	0.92	0.23	0.63	1.75	0.44	1.17	—
AL203801	3/8	2/0 AWG	3.51	1.90	0.97	0.24	0.38	1.00	0.46	1.21	—
AL203801-62	3/8	2/0 AWG	3.46	1.89	0.92	0.23	0.44	1.00	0.44	1.17	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14	--	60
Panduit	CT-930 CT-940	--	P94
Burndy	PAT750 Y35	--	22
Celestra	A45	--	60

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL301243	1/2	3/0 AWG	5.30	3.41	1.06	0.24	0.75	1.75	0.52	1.39	—
AL301243-52	1/2	3/0 AWG	5.31	3.26	1.03	0.27	0.63	1.75	0.48	1.55	—
AL301243-62	1/2	3/0 AWG	4.93	3.12	1.04	0.28	0.63	1.75	0.48	1.31	—
AL303801	3/8	3/0 AWG	3.79	1.90	1.06	0.24	0.38	1.00	0.52	1.39	—
AL303801-62	3/8	3/0 AWG	3.70	1.89	1.04	0.28	0.44	1.00	0.48	1.31	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	White	66
Panduit	CT-720 CT-920	White	P66
Burndy	Y35 Y45	White	17
Celestra	A45	White	66

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL401243	1/2	4/0 AWG	5.37	3.00	1.21	0.25	0.50	1.75	0.60	1.77	—
AL401243-52	1/2	4/0 AWG	5.78	3.38	1.19	0.33	0.63	1.75	0.55	1.80	—
AL401243-62	1/2	4/0 AWG	5.10	3.11	1.17	0.3	0.63	1.75	0.55	1.39	—
AL403801	3/8	4/0 AWG	4.30	1.93	1.21	0.25	0.38	1.00	0.60	1.77	—
AL403801-62	3/8	4/0 AWG	3.88	1.89	1.17	0.3	0.44	1.00	0.55	1.39	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18
Celestra	A45	Red	71

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL251243	1/2	250 kcmil	5.53	3.00	1.29	0.27	0.50	1.75	0.65	1.93	—
AL251243-52	1/2	250 kcmil	5.78	3.38	1.25	0.31	0.63	1.75	0.59	1.80	—
AL251243-62	1/2	250 kcmil	5.16	3.11	1.26	0.33	0.63	1.75	0.59	1.45	—
AL253801	3/8	250 kcmil	4.46	1.93	1.29	0.27	0.38	1.00	0.65	1.93	—
AL253801-62	3/8	250 kcmil	3.94	1.89	1.26	0.33	0.44	1.00	0.59	1.45	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Blue	76
Panduit	CT-720 CT-920	Blue	P76
Burndy	Y35 Y45	Blue	19
Celestra	A45	Blue	76

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL311243	1/2	300 kcmil	5.63	3.00	1.39	0.28	0.50	1.75	0.71	1.93	—
AL311243-52	1/2	300 kcmil	6.57	3.57	1.39	0.36	0.63	1.75	0.65	2.30	—
AL311243-62	1/2	300 kcmil	5.34	3.11	1.38	0.36	0.63	1.75	0.65	1.53	—
AL313801	3/8	300 kcmil	4.56	1.93	1.39	0.28	0.38	1.00	0.71	1.93	—
AL313801-62	3/8	300 kcmil	4.12	1.89	1.38	0.36	0.44	1.00	0.65	1.53	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM6	Yellow	62
Panduit	-	Yellow	-
Burndy	MY29 Y644M	Yellow	16
Celestra	A45	Yellow	62

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL351243	1/2	350 kcmil	6.32	3.00	1.52	0.34	0.50	1.75	0.75	2.62	—
AL351243-52	1/2	350 kcmil	6.57	3.57	1.52	0.39	0.63	1.75	0.72	2.30	—
AL351243-62	1/2	350 kcmil	5.66	3.11	1.52	0.39	0.63	1.75	0.72	1.85	—
AL353801	3/8	350 kcmil	5.25	1.93	1.52	0.34	0.38	1.00	0.75	2.62	—
AL353801-62	3/8	350 kcmil	4.44	1.89	1.52	0.39	0.44	1.00	0.72	1.85	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14M	Black	106
Panduit	CT-920 CT-980	Black	P106
Burndy	Y35 Y45	Black	24
Celestra	A45	Black	106

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL411243	1/2	400 kcmil	6.47	3.00	1.65	0.37	0.50	1.75	0.81	2.66	—
AL411243-52	1/2	400 kcmil	6.94	3.58	1.62	0.43	0.63	1.75	0.76	2.55	—
AL411243-62	1/2	400 kcmil	6.18	3.11	1.62	0.43	0.63	1.75	0.76	2.26	—
AL413801	3/8	400 kcmil	5.40	1.93	1.65	0.37	0.38	1.00	0.81	2.66	—
AL413801-62	3/8	400 kcmil	4.96	1.89	1.62	0.43	0.44	1.00	0.76	2.26	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**




Installation Information

Manufacturer	Tools	Color	Code
T&B	40TON TBM8-750	Pink	99
Panduit	-	Pink	-
Burndy	Y39 Y644M	Pink	400
Celestra	A45	Pink	99

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL511243	1/2	500 kcmil	6.59	3.00	1.79	0.38	0.50	1.75	0.90	2.66	—
AL511243-52	1/2	500 kcmil	7.55	3.57	1.80	0.48	0.63	1.75	0.84	3.05	—
AL511243-62	1/2	500 kcmil	6.42	3.15	1.80	0.48	0.63	1.75	0.84	2.34	—
AL513801	3/8	500 kcmil	5.52	1.93	1.79	0.38	0.38	1.00	0.90	2.66	—
AL513801-62	3/8	500 kcmil	5.16	1.89	1.80	0.48	0.44	1.00	0.84	2.34	—

© 2002 HUYA Corporation. Specifications are subject to change without notice.




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM12 TBM14	Green	94
Panduit	CT-920 CT-980	Green	P94
Burndy	Y35 Y45	Green	22
Celestra	A45	Green	94

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL611243	1/2	600 kcmil	6.49	3.00	1.92	0.37	0.50	1.75	0.99	2.56	—
AL611243-52	1/2	600 kcmil	7.61	3.63	1.96	0.52	0.63	1.75	0.92	3.05	—
AL611243-62	1/2	600 kcmil	6.55	3.15	1.96	0.52	0.63	1.75	0.92	2.47	—
AL613801	3/8	600 kcmil	5.42	1.93	1.92	0.37	0.38	1.00	0.99	2.56	—
AL613801-62	3/8	600 kcmil	5.29	1.89	1.96	0.52	0.44	1.00	0.92	2.47	—

© 2002 HUYA Corporation. Specifications are subject to change without notice.




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8 TBM12	Brown	87
Panduit	CT-720 CT-920	Brown	P87
Burndy	Y35 Y45	Brown	20
Celestra	A45	Brown	87

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL711243	1/2	700 kcmil	6.81	3.00	2.04	0.38	0.50	1.75	1.06	2.75	—
AL711243-62	1/2	700 kcmil	6.67	3.15	2.06	0.4	0.63	1.75	1.06	2.46	—
AL713801	3/8	700 kcmil	5.74	1.93	2.04	0.38	0.38	1.00	1.06	2.75	—
AL713801-62	3/8	700 kcmil	5.41	1.89	2.06	0.4	0.44	1.00	1.06	2.46	—

© 2002 HUYA Corporation. Specifications are subject to change without notice. **www.huyaco.com**



Installation Information

Manufacturer	Tools	Color	Code
T&B	12 TON 15TON	Yellow	115
Panduit	-	Yellow	-
Burndy	-	Yellow	-
Celestra	A45	Yellow	115

	Wire Size		Dimension (in.)								
Cat. Nos	Bolt Size	Cable Size AL/CU	A	B	C	D	F	G	ID	H	Std. Pkg.
AL751243	1/2	750 kcmil	6.96	3.00	2.13	0.4	0.50	1.75	1.10	2.90	—
AL751243-52	1/2	750 kcmil	8.11	3.63	2.18	0.56	0.63	1.75	1.03	3.42	—

© 2002 HUYA Corporation. Specifications are subject to change without notice.