


One - Hole




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size		Dimension (in.)						Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
DA0621	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	#12	1.23	0.53	0.44	0.70	0.22	100
DA0610	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	#10	1.23	0.53	0.44	0.70	0.22	100
DA0614	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/4	1.23	0.53	0.44	0.70	0.22	100
DA0656	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	5/16	1.37	0.67	0.60	0.70	0.22	100
DA0638	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	3/8	1.37	0.67	0.60	0.70	0.22	100
DA0638-242	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	3/8	1.45	0.75	0.56	0.70	0.22	100
DA0612	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/2	2.01	1.31	1.00	0.70	0.22	100
DA0610-250	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	#10	1.55	0.54	0.45	1.01	0.22	100
DA0614-250	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/4	1.63	0.62	0.48	1.01	0.22	100
DA0656-250	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	5/16	1.75	0.74	0.56	1.01	0.22	100
DA0638-250	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	3/8	1.85	0.84	0.62	1.01	0.22	100
DA0614-260	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/4	1.65	0.64	0.45	1.01	0.22	100
DA0610-260	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	8-10	1.53	0.52	0.41	1.01	0.22	100
DA0656-260	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	5/16	1.71	0.70	0.52	1.01	0.22	100
DA0638-260	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	3/8	1.84	0.83	0.63	1.01	0.22	100
DA0612-260	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/2	2.09	1.08	0.75	1.01	0.22	100
DA0610-251	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	#10	1.22	0.54	0.45	0.68	0.22	100
DA0614-251	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	1/4	1.30	0.62	0.48	0.68	0.22	100
DA0656-251	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	5/16	1.42	0.74	0.56	0.68	0.22	100
DA0638-251	6 AWG 133/.014	30 Navy 6 Weld 61/24 = 24.6 kcmil	3/8	1.52	0.84	0.62	0.68	0.22	100

One - Hole




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size		Dimension (in.)						Std. Pkg.
	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
DA0610-252	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	#10	1.22	0.54	0.45	0.68	0.22	100
DA0614-252	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/4	1.30	0.62	0.48	0.68	0.22	100
DA0656-252	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	5/16	1.42	0.74	0.56	0.68	0.22	100
DA0638-252	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	3/8	1.52	0.84	0.62	0.68	0.22	100
DA0612-261	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/2	1.78	1.08	0.75	0.70	0.22	100
DA0614-261	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/4	1.34	0.64	0.48	0.70	0.22	100
DA0638-261	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	3/8	1.53	0.83	0.60	0.70	0.22	100
DA0656-261	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	5/16	1.40	0.70	0.60	0.70	0.22	100
DA0634-261	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	3/4	2.22	1.52	1.05	0.70	0.22	100
WP0610-171	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	#10	1.16	0.51	0.44	0.65	0.23	100
WP0656-106	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	5/16	1.17	0.52	0.52	0.65	0.22	100
WP0638-107	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	3/8	1.17	0.52	0.59	0.65	0.22	100
WP0614-002	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/4	1.17	0.52	0.44	0.65	0.22	100
LA0610	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	#10	1.65	0.65	0.44	1.00	0.22	100
LA0614	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/4	1.65	0.65	0.44	1.00	0.22	100
LA0610-250	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	#10	1.81	0.54	0.45	1.27	0.22	100
LA0614-250	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/4	1.89	0.62	0.48	1.27	0.22	100
LA0638-250	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	3/8	2.11	0.84	0.62	1.27	0.22	100
LA0610-260	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	#10	1.84	0.52	0.41	1.32	0.22	100
LA0612-260	6 AWG 133/.014 61/24 = 24.6 kcmil	30 Navy 6 Weld	1/2	2.40	1.08	0.83	1.32	0.22	100

One - Hole



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7
Celestra	A45	Blue	24

Cat. Nos	Wire Size	Dimension (in.)							Std. Pkg.
	Code Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID		
LA0614-260	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	1/4	1.96	0.64	0.41	1.32	0.22	100	
LA0614P-260	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	1/4	1.96	0.64	0.45	1.32	0.22	100	
LA0638P-260	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	3/8	2.15	0.83	0.58	1.32	0.22	100	
LA0612P-260	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	1/2	2.40	1.08	0.83	1.32	0.22	100	
LA0614P-251	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	1/4	1.89	0.62	0.48	1.27	0.22	100	
LA0638P-251	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	3/8	2.11	0.84	0.62	1.27	0.22	100	
LA0614P-261	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	1/4	1.59	0.64	0.48	0.95	0.22	100	
LA0638P-261	30 Navy 6 Weld 6 AWG 133/.014 61/24 = 24.6 kcmil	3/8	1.78	0.83	0.58	0.95	0.22	100	