One - Hole



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

	Wire Size		Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
DA0114	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.50	0.65	0.68	0.85	0.36	100
DA0156	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.78	0.93	0.68	0.85	0.36	100
DA0138	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.83	0.98	0.68	0.85	0.36	100
DA0112	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.10	1.25	0.76	0.85	0.36	100
DA0114-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.76	0.63	0.70	1.13	0.36	100
DA0156-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.89	0.76	0.70	1.13	0.36	100
DA0138-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.96	0.83	0.70	1.13	0.36	100
DA0112-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.20	1.07	0.75	1.13	0.36	100
DA0114-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.77	0.64	0.68	1.13	0.36	100
DA0156-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.83	0.70	0.68	1.13	0.36	100
DA0138-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.96	0.83	0.68	1.13	0.36	100
DA0112-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.21	1.08	0.73	1.13	0.36	100
DA0114-251	1 AWG	225/24 #1 Weld	1/4	1.61	0.70	0.76	0.91	0.39	100
DA0138-251	1 AWG	225/24 #1 Weld	3/8	1.74	0.83	0.76	0.91	0.39	100
DA0112-251	1 AWG	225/24 #1 Weld	1/2	1.98	1.07	0.80	0.91	0.39	100
DA0114-252	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.47	0.63	0.70	0.84	0.36	100
DA0138-252	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	1.67	0.83	0.70	0.84	0.36	100

© 2002 HUYA Corporation. Specifications are subject to change without notice.**www.huyaco.com**

One - Hole



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

	Wire Size		Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
DA0112-252	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	1.91	1.07	0.75	0.84	0.36	100
DA0110-261	1 AWG	225/24 #1 Weld	#10	1.46	0.52	0.75	0.94	0.39	100
DA0138-261	1 AWG	225/24 #1 Weld	3/8	1.77	0.83	0.75	0.94	0.39	100
DA0156-261	1 AWG	225/24 #1 Weld	5/16	1.64	0.70	0.75	0.94	0.39	100
WP0114-007	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.52	0.62	0.68	0.85	0.36	100
WP0156-172	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.71	0.75	0.68	0.85	0.36	100
LA0110	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	#10	1.78	0.65	0.68	1.13	0.36	100
LA0156	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.01	0.88	0.68	1.13	0.36	100
LA0110-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	#10	2.17	0.56	0.70	1.61	0.36	100
LA0156-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.37	0.76	0.70	1.61	0.36	100
LA0138-250	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	2.44	0.83	0.70	1.61	0.36	100
LA0110-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	#10	2.15	0.52	0.68	1.63	0.36	100
LA0156-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	2.33	0.70	0.68	1.63	0.36	100
LA0112-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.71	1.08	0.83	1.63	0.36	100
LA0114P-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	2.27	0.64	0.67	1.63	0.36	100
LA0138P-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	2.46	0.83	0.67	1.63	0.36	100
LA0112P-260	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/2	2.71	1.08	0.83	1.63	0.36	100
DA0110-251	1 AWG	225/24 #1 Weld	#10	1.45	0.54	0.76	0.91	0.39	100
DA0156-251	1 AWG	225/24 #1 Weld	5/16	1.67	0.76	0.76	0.91	0.39	100

© 2002 HUYA Corporation. Specifications are subject to change without notice.**www.huyaco.com**

One - Hole



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Green	37
Panduit	CT-720 CT-1700	Green	P37
Burndy	MY29 Y644M	Green	11
Celestra	A45	Green	37

	Wire Size		Dimension (in.)						
Cat. Nos	Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	Std. Pkg.
DA0156-252	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	5/16	1.60	0.76	0.70	0.84	0.36	100
DA0114-261	1 AWG	225/24 #1 Weld	1/4	1.58	0.64	0.75	0.94	0.39	100
LA0114P-251	1 AWG	225/24 #1 Weld	1/4	2.39	0.70	0.76	1.69	0.39	100
LA0156P-251	1 AWG	225/24 #1 Weld	5/16	2.45	0.76	0.76	1.69	0.39	100
LA0114P-261	1 AWG	225/24 #1 Weld	1/4	2.27	0.64	0.75	1.63	0.39	100
LA0156P-261	1 AWG	225/24 #1 Weld	5/16	2.33	0.70	0.75	1.63	0.39	100
LA0138P-261	1 AWG	225/24 #1 Weld	3/8	2.46	0.83	0.75	1.63	0.39	100
LA0138-251	1 AWG	225/24 #1 Weld	3/8	2.52	0.83	0.76	—	0.00	100

© 2002 HUYA Corporation. Specifications are subject to change without notice.**www.huyaco.com**